

This Rough Opening Guide is for use with Windsor Windows & Doors Pinnacle wood products and Legend cellular PVC products. Primed Pinnacle products and Legend products utilize the same frames and the same callouts. Therefore, the rough openings can be used for both products. Clad Pinnacle products have their own rough opening dimensions. Rough opening dimensions and specifications are subject to change without notice. All drawings presented are viewed from the outside.

GLOSSARY

Frame: The frame dimensions are the interior dimensions of the basic window frame, usually calculated from the back side of one jamb to the back side of the opposite jamb. The frame dimensions are used to calculate the rough opening.

Unit: The unit dimensions are the maximum sizes of the entire window assembly measured from the exterior. It includes the window frame plus any exterior casings, such as brickmould or subsill. The unit dimensions are used to calculate masonry openings. For clad windows, these dimensions are usually the same as the frame dimensions.

Rough Opening: The unfinished wall or ceiling opening where a window or door will be installed. To allow for adjustment and insulation, the rough opening is calculated to be slightly larger than the frame dimension.


INDEX

Primed/Legend Casement	3-8
Primed/Legend Awning	8
Primed/Legend Double Hung	9-15
Primed/Clad Single Hung Seg-top	15
Primed/Clad Single Hung Round Top	15
Primed/Clad Single Hung Oriel	15
Primed Sliding Patio Door	17
Primed In-swing Patio Door	17
Primed Patio Door In-swing Sidelite, In-sash Transom & Half Round	18
*Clad Casement	19-22
*Clad Seg-top Casement	23-24
*Clad Casement Round Top	25
*Clad Casement Transom	26
*Clad Awning	27
*Clad Double Hung	28-33
*Clad Glide-by	34
*Clad Sliding Patio Door	35
*Clad In-swing Patio Door	36-37
*Clad Out-swing Patio Door	37
Radius Patio Doors (Primed & Clad)	38
Bi-fold Patio Door	39-40
Quarter Round	41
*Half Round (Primed, Clad & Legend)	41-43
Primed/Clad Seg-top & Round Top Picture	44
Clad Ellipse, In-sash Transom & Half Round	45
Select Clad Casement	46-48
Select Clad Awning	49

***NOTE: When using clad brickmould, add 3/8" to both the horizontal and vertical measurements.**



*Rough opening dimensions and specifications subject to change without notice.
All drawings presented are viewed from the outside.*

PRIMED CASEMENT – 1 & 2 WIDE UNITS



UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
1420-1	1'-6 3/4"	2'-1 1/4"	1420-2	3'-0 3/4"	2'-1 1/4"
1426-1		2'-7 1/4"	1426-2		2'-7 1/4"
1432-1		3'-1 1/4"	1432-2		3'-1 1/4"
1438-1		3'-7 1/4"	1438-2		3'-7 1/4"
1444-1		4'-1 1/4"	1444-2		4'-1 1/4"
1450-1		4'-7 1/4"	1450-2		4'-7 1/4"
1456-1		5'-1 1/4"	1456-2		5'-1 1/4"
1462-1		5'-7 1/4"	1462-2		5'-7 1/4"
1468-1		6'-1 1/4"	1468-2		6'-1 1/4"
1474-1		6'-7 1/4"	1474-2		6'-7 1/4"
1620-1	1'-8 3/4"	2'-1 1/4"	1620-2	3'-4 3/4"	2'-1 1/4"
1626-1		2'-7 1/4"	1626-2		2'-7 1/4"
1632-1		3'-1 1/4"	1632-2		3'-1 1/4"
1638-1		3'-7 1/4"	1638-2		3'-7 1/4"
1644-1		4'-1 1/4"	1644-2		4'-1 1/4"
1650-1		4'-7 1/4"	1650-2		4'-7 1/4"
1656-1		5'-1 1/4"	1656-2		5'-1 1/4"
1662-1		5'-7 1/4"	1662-2		5'-7 1/4"
1668-1		6'-1 1/4"	1668-2		6'-1 1/4"
1674-1		6'-7 1/4"	1674-2		6'-7 1/4"
2020-1	2'-0 3/4"	2'-1 1/4"	2020-2	4'-0 3/4"	2'-1 1/4"
2026-1		2'-7 1/4"	2026-2		2'-7 1/4"
2032-1		3'-1 1/4"	2032-2		3'-1 1/4"
2038-1		3'-7 1/4"	2038-2		3'-7 1/4"
2044-1		4'-1 1/4"	2044-2		4'-1 1/4"
2050-1		4'-7 1/4"	2050-2		4'-7 1/4"
2056-1		5'-1 1/4"	2056-2		5'-1 1/4"
2062-1		5'-7 1/4"	2062-2		5'-7 1/4"
2068-1		6'-1 1/4"	2068-2		6'-1 1/4"
2074-1		6'-7 1/4"	2074-2		6'-7 1/4"
2420-1	2'-4 3/4"	2'-1 1/4"	2420-2	4'-8 3/4"	2'-1 1/4"
2426-1		2'-7 1/4"	2426-2		2'-7 1/4"
2432-1		3'-1 1/4"	2432-2		3'-1 1/4"
2438-1		3'-7 1/4"	2438-2		3'-7 1/4"
2444-1		4'-1 1/4"	2444-2		4'-1 1/4"
2450-1		4'-7 1/4"	2450-2		4'-7 1/4"
2456-1		5'-1 1/4"	2456-2		5'-1 1/4"
2462-1		5'-7 1/4"	2462-2		5'-7 1/4"
2468-1		6'-1 1/4"	2468-2		6'-1 1/4"
2474-1		6'-7 1/4"	2474-2		6'-7 1/4"
2620-1	2'-6 3/4"	2'-1 1/4"	2620-2	5'-0 3/4"	2'-1 1/4"
2626-1		2'-7 1/4"	2626-2		2'-7 1/4"
2632-1		3'-1 1/4"	2632-2		3'-1 1/4"
2638-1		3'-7 1/4"	2638-2		3'-7 1/4"
2644-1		4'-1 1/4"	2644-2		4'-1 1/4"
2650-1		4'-7 1/4"	2650-2		4'-7 1/4"
2656-1		5'-1 1/4"	2656-2		5'-1 1/4"
2662-1		5'-7 1/4"	2662-2		5'-7 1/4"
2668-1		6'-1 1/4"	2668-2		6'-1 1/4"
3220-1	3'-0 3/4"	2'-1 1/4"	3220-2	6'-0 3/4"	2'-1 1/4"
3226-1		2'-7 1/4"	3226-2		2'-7 1/4"
3232-1		3'-1 1/4"	3232-2		3'-1 1/4"
3238-1		3'-7 1/4"	3238-2		3'-7 1/4"
3244-1		4'-1 1/4"	3244-2		4'-1 1/4"
3250-1		4'-7 1/4"	3250-2		4'-7 1/4"
3256-1		5'-1 1/4"	3256-2		5'-1 1/4"
3262-1		5'-7 1/4"	3262-2		5'-7 1/4"
3268-1		6'-1 1/4"	3268-2		6'-1 1/4"
3274-1		6'-7 1/4"	3274-2		6'-7 1/4"

PRIMED CASEMENT – 3 & 4 WIDE UNITS



UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
1420-3	4'-6 3/4"	2'-1 1/4"	1420-4	6'-0 3/4"	2'-1 1/4"
1426-3		2'-7 1/4"	1426-4		2'-7 1/4"
1432-3		3'-1 1/4"	1432-4		3'-1 1/4"
1438-3		3'-7 1/4"	1438-4		3'-7 1/4"
1444-3		4'-1 1/4"	1444-4		4'-1 1/4"
1450-3		4'-7 1/4"	1450-4		4'-7 1/4"
1456-3		5'-1 1/4"	1456-4		5'-1 1/4"
1462-3		5'-7 1/4"	1462-4		5'-7 1/4"
1468-3		6'-1 1/4"	1468-4		6'-1 1/4"
1474-3		6'-7 1/4"	1474-4		6'-7 1/4"
1620-3	5'-0 3/4"	2'-1 1/4"	1620-4	6'-8 3/4"	2'-1 1/4"
1626-3		2'-7 1/4"	1626-4		2'-7 1/4"
1632-3		3'-1 1/4"	1632-4		3'-1 1/4"
1638-3		3'-7 1/4"	1638-4		3'-7 1/4"
1644-3		4'-1 1/4"	1644-4		4'-1 1/4"
1650-3		4'-7 1/4"	1650-4		4'-7 1/4"
1656-3		5'-1 1/4"	1656-4		5'-1 1/4"
1662-3		5'-7 1/4"	1662-4		5'-7 1/4"
1668-3		6'-1 1/4"	1668-4		6'-1 1/4"
1674-3		6'-7 1/4"	1674-4		6'-7 1/4"
2020-3	6'-0 3/4"	2'-1 1/4"	2020-4	8'-0 3/4"	2'-1 1/4"
2026-3		2'-7 1/4"	2026-4		2'-7 1/4"
2032-3		3'-1 1/4"	2032-4		3'-1 1/4"
2038-3		3'-7 1/4"	2038-4		3'-7 1/4"
2044-3		4'-1 1/4"	2044-4		4'-1 1/4"
2050-3		4'-7 1/4"	2050-4		4'-7 1/4"
2056-3		5'-1 1/4"	2056-4		5'-1 1/4"
2062-3		5'-7 1/4"	2062-4		5'-7 1/4"
2068-3		6'-1 1/4"	2068-4		6'-1 1/4"
2074-3		6'-7 1/4"	2074-4		6'-7 1/4"
2420-3	7'-0 3/4"	2'-1 1/4"	2420-4	9'-4 3/4"	2'-1 1/4"
2426-3		2'-7 1/4"	2426-4		2'-7 1/4"
2432-3		3'-1 1/4"	2432-4		3'-1 1/4"
2438-3		3'-7 1/4"	2438-4		3'-7 1/4"
2444-3		4'-1 1/4"	2444-4		4'-1 1/4"
2450-3		4'-7 1/4"	2450-4		4'-7 1/4"
2456-3		5'-1 1/4"	2456-4		5'-1 1/4"
2462-3		5'-7 1/4"	2462-4		5'-7 1/4"
2468-3		6'-1 1/4"	2468-4		6'-1 1/4"
2474-3		6'-7 1/4"	2474-4		6'-7 1/4"
2620-3	7'-6 3/4"	2'-1 1/4"	2620-4	10'-0 3/4"	2'-1 1/4"
2626-3		2'-7 1/4"	2626-4		2'-7 1/4"
2632-3		3'-1 1/4"	2632-4		3'-1 1/4"
2638-3		3'-7 1/4"	2638-4		3'-7 1/4"
2644-3		4'-1 1/4"	2644-4		4'-1 1/4"
2650-3		4'-7 1/4"	2650-4		4'-7 1/4"
2656-3		5'-1 1/4"	2656-4		5'-1 1/4"
2662-3		5'-7 1/4"	2662-4		5'-7 1/4"
2668-3		6'-1 1/4"	2668-4		6'-1 1/4"
3220-3		9'-0 3/4"	2'-1 1/4"		3220-4
3226-3	2'-7 1/4"		3226-4	2'-7 1/4"	
3232-3	3'-1 1/4"		3232-4	3'-1 1/4"	
3238-3	3'-7 1/4"		3238-4	3'-7 1/4"	
3244-3	4'-1 1/4"		3244-4	4'-1 1/4"	
3250-3	4'-7 1/4"		3250-4	4'-7 1/4"	
3256-3	5'-1 1/4"		3256-4	5'-1 1/4"	
3262-3	5'-7 1/4"		3262-4	5'-7 1/4"	
3268-3	6'-1 1/4"		3268-4	6'-1 1/4"	
3274-3	6'-7 1/4"		3274-4	6'-7 1/4"	

PRIMED CASEMENT – PICTURE



UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
3832	3'-6 3/4"	3'-1 1/4"	5632	5'-0 3/4"	3'-1 1/4"
3838		3'-7 1/4"	5638		3'-7 1/4"
3844		4'-1 1/4"	5644		4'-1 1/4"
3850		4'-7 1/4"	5650		4'-7 1/4"
3856		5'-1 1/4"	5656		5'-1 1/4"
3862		5'-7 1/4"	5662		5'-7 1/4"
3868		6'-1 1/4"	5668		6'-1 1/4"
3874		6'-7 1/4"	5674		6'-7 1/4"
4432	4'-0 3/4"	3'-1 1/4"	6832	6'-0 3/4"	3'-1 1/4"
4438		3'-7 1/4"	6838		3'-7 1/4"
4444		4'-1 1/4"	6844		4'-1 1/4"
4450		4'-7 1/4"	6850		4'-7 1/4"
4456		5'-1 1/4"	6856		5'-1 1/4"
4462		5'-7 1/4"	6862		5'-7 1/4"
4468		6'-1 1/4"	6868		6'-1 1/4"
4474		6'-7 1/4"	6874		6'-7 1/4"
5032	4'-6 3/4"	3'-1 1/4"			
5038		3'-7 1/4"			
5044		4'-1 1/4"			
5050		4'-7 1/4"			
5056		5'-1 1/4"			
5062		5'-7 1/4"			
5068		6'-1 1/4"			
5074		6'-7 1/4"			

PICTURES WITH FLANKERS

ADD TOGETHER FRAME WIDTHS (CALLOUT + 4")
FOR INDIVIDUAL UNITS + 3/4".
HEIGHTS REMAIN AS SHOWN.

PRIMED CASEMENT BOW UNITS

WIDTHS	ROUGH OPENING	BOW PROJECTION
14-4	6'-1 1/8"	8 1/8"
16-4	6'-8 7/8"	8 7/8"
20-4	8'-0 1/2"	10 5/8"
24-4	9'-4"	12 1/4"
26-4	9'-11 3/4"	13 1/8"
32-4	11'-11 1/4"	15 1/2"
14-5	7'-5 3/4"	12"
16-5	8'-3 1/4"	13 1/4"
20-5	9'-10 1/2"	15 3/4"
24-5	11'-5 7/8"	18 1/8"

HEIGHTS	ROUGH OPENING	HEIGHTS	ROUGH OPENING
20"	2'-2"	50"	4'-8"
26"	2'-8"	56"	5'-2"
32"	3'-2"	62"	5'-8"
38"	3'-8"	68"	6'-2"
44"	4'-2"	74"	6'-8"

PRIMED CASEMENT BAY UNITS
Standard Bays

WIDTHS	ROUGH OPENING	30DEG	ROUGH OPENING	45DEG
20-38-20	7'-3 5/8"	13 1/4"	6'-8 1/2"	19 1/8"
20-44-20	7'-9 5/8"	13 1/4"	7'-2 1/2"	19 1/8"
20-50-20	8'-3 5/8"	13 1/4"	7'-8 1/2"	19 1/8"
20-56-20	8'-9 5/8"	13 1/4"	8'-2 1/2"	19 1/8"
20-68-20	9'-9 5/8"	13 1/4"	9'-2 1/2"	19 1/8"
24-38-24	7'-10 1/2"	15 1/4"	7'-2 1/8"	22"
24-44-24	8'-4 1/2"	15 1/4"	7'-8 1/8"	22"
24-50-24	8'-10 1/2"	15 1/4"	8'-2 1/8"	22"
24-56-24	9'-4 1/2"	15 1/4"	8'-8 1/8"	22"
24-68-24	10'-4 1/2"	15 1/4"	9'-8 1/8"	22"
26-38-26	8'-2"	16 1/4"	7'-5"	23 3/8"
26-44-26	8'-8"	16 1/4"	7'-11"	23 3/8"
26-50-26	9'-2"	16 1/4"	8'-5"	23 3/8"
26-56-26	9'-8"	16 1/4"	8'-11"	23 3/8"
26-68-26	10'-8"	16 1/4"	9'-11"	23 3/8"

HEIGHTS	ROUGH OPENING
44"	4'-2"
50"	4'-8"
56"	5'-2"
62"	5'-8"

PRIMED CASEMENT BAY UNITS
Non-Standard Bays

WIDTHS	30DEG	45DEG
14" FLANKER : CENTER GLASS +	39 1/4"	34 1/8"
16" FLANKER : CENTER GLASS +	42 3/4"	36 7/8"
20" FLANKER : CENTER GLASS +	49 5/8"	42 1/2"
24" FLANKER : CENTER GLASS +	56 1/2"	48 1/8"
26" FLANKER : CENTER GLASS +	60"	51"

HEIGHTS
For the rough opening, add an additional 3/4" to the standard rough opening heights.

PRIMED CASEMENT SEG-TOP



UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
1638/44	1' - 8 3/4"	4' - 1 1/4"	2038/44-2	4' - 0 3/4"	4' - 1 1/4"
1644/50	1' - 8 3/4"	4' - 7 1/4"	2044/50-2	4' - 0 3/4"	4' - 7 1/4"
1650/56	1' - 8 3/4"	5' - 1 1/4"	2050/56-2	4' - 0 3/4"	5' - 1 1/4"
1656/62	1' - 8 3/4"	5' - 7 1/4"	2056/62-2	4' - 0 3/4"	5' - 7 1/4"
1662/68	1' - 8 3/4"	6' - 1 1/4"	2062/68-2	4' - 0 3/4"	6' - 1 1/4"
2038/44	2' - 0 3/4"	4' - 1 1/4"	2438/44-2	4' - 8 3/4"	4' - 1 1/4"
2044/50	2' - 0 3/4"	4' - 7 1/4"	2444/50-2	4' - 8 3/4"	4' - 7 1/4"
2050/56	2' - 0 3/4"	5' - 1 1/4"	2450/56-2	4' - 8 3/4"	5' - 1 1/4"
2056/62	2' - 0 3/4"	5' - 7 1/4"	2456/62-2	4' - 8 3/4"	5' - 7 1/4"
2062/68	2' - 0 3/4"	6' - 1 1/4"	2462/68-2	4' - 8 3/4"	6' - 1 1/4"
2438/44	2' - 4 3/4"	4' - 1 1/4"	2638/44-2	5' - 0 3/4"	4' - 1 1/4"
2444/50	2' - 4 3/4"	4' - 7 1/4"	2644/50-2	5' - 0 3/4"	4' - 7 1/4"
2450/56	2' - 4 3/4"	5' - 1 1/4"	2650/56-2	5' - 0 3/4"	5' - 1 1/4"
2456/62	2' - 4 3/4"	5' - 7 1/4"	2656/62-2	5' - 0 3/4"	5' - 7 1/4"
2465/68	2' - 4 3/4"	6' - 1 1/4"	2662/68-2	5' - 0 3/4"	6' - 1 1/4"
2638/44	2' - 6 3/4"	4' - 1 1/4"	3238/44-2	6' - 0 3/4"	4' - 1 1/4"
2644/50	2' - 6 3/4"	4' - 7 1/4"	3244/50-2	6' - 0 3/4"	4' - 7 1/4"
2650/56	2' - 6 3/4"	5' - 1 1/4"	3250/56-2	6' - 0 3/4"	5' - 1 1/4"
2656/62	2' - 6 3/4"	5' - 7 1/4"	3256/62-2	6' - 0 3/4"	5' - 7 1/4"
2662/68	2' - 6 3/4"	6' - 1 1/4"	3262/68-2	6' - 0 3/4"	6' - 1 1/4"
3238/44	3' - 0 3/4"	4' - 1 1/4"	1638/44-3	5' - 0 3/4"	4' - 1 1/4"
3244/50	3' - 0 3/4"	4' - 7 1/4"	1644/50-3	5' - 0 3/4"	4' - 7 1/4"
3250/56	3' - 0 3/4"	5' - 1 1/4"	1650/56-3	5' - 0 3/4"	5' - 1 1/4"
3256/62	3' - 0 3/4"	5' - 7 1/4"	1656/62-3	5' - 0 3/4"	5' - 7 1/4"
3262/68	3' - 0 3/4"	6' - 1 1/4"	1662/68-3	5' - 0 3/4"	6' - 1 1/4"
1638/44-2	3' - 4 3/4"	4' - 1 1/4"	2038/44-3	6' - 0 3/4"	4' - 1 1/4"
1644/50-2	3' - 4 3/4"	4' - 7 1/4"	2044/50-3	6' - 0 3/4"	4' - 7 1/4"
1650/56-2	3' - 4 3/4"	5' - 1 1/4"	2050/56-3	6' - 0 3/4"	5' - 1 1/4"
1656/62-2	3' - 4 3/4"	5' - 7 1/4"	2056/62-3	6' - 0 3/4"	5' - 7 1/4"
1662/68-2	3' - 4 3/4"	6' - 1 1/4"	2062/68-3	6' - 0 3/4"	6' - 1 1/4"

PRIMED CASEMENT SEG-TOP
(Continued from previous page)

UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
2438/44-3	7'-0 3/4"	4'-1 1/4"	2038/44-4	8'-0 3/4"	4'-1 1/4"
2444/50-3	7'-0 3/4"	4'-7 1/4"	2044/50-4	8'-0 3/4"	4'-7 1/4"
2450/56-3	7'-0 3/4"	5'-1 1/4"	2050/56-4	8'-0 3/4"	5'-1 1/4"
2456/62-3	7'-0 3/4"	5'-7 1/4"	2056/62-4	8'-0 3/4"	5'-7 1/4"
2462/68-3	7'-0 3/4"	6'-1 1/4"	2062/68-4	8'-0 3/4"	6'-1 1/4"
2638/44-3	7'-6 3/4"	4'-1 1/4"	2438/44-4	9'-4 3/4"	4'-1 1/4"
2644/50-3	7'-6 3/4"	4'-7 1/4"	2444/50-4	9'-4 3/4"	4'-7 1/4"
2650/56-3	7'-6 3/4"	5'-1 1/4"	2450/56-4	9'-4 3/4"	5'-1 1/4"
2656/62-3	7'-6 3/4"	5'-7 1/4"	2456/62-4	9'-4 3/4"	5'-7 1/4"
2662/68-3	7'-6 3/4"	6'-1 1/4"	2462/68-4	9'-4 3/4"	6'-1 1/4"
3238/44-3	9'-0 3/4"	4'-1 1/4"	2638/44-4	10'-0 3/4"	4'-1 1/4"
3244/50-3	9'-0 3/4"	4'-7 1/4"	2644/50-4	10'-0 3/4"	4'-7 1/4"
3250/56-3	9'-0 3/4"	5'-1 1/4"	2650/56-4	10'-0 3/4"	5'-1 1/4"
3256/62-3	9'-0 3/4"	5'-7 1/4"	2656/62-4	10'-0 3/4"	5'-7 1/4"
3262/68-3	9'-0 3/4"	6'-1 1/4"	2662/68-4	10'-0 3/4"	6'-1 1/4"
1638/44-4	6'-8 3/4"	4'-1 1/4"	3238/44-4	12'-0 3/4"	4'-1 1/4"
1644/50-4	6'-8 3/4"	4'-7 1/4"	3244/50-4	12'-0 3/4"	4'-7 1/4"
1650/56-4	6'-8 3/4"	5'-1 1/4"	3250/56-4	12'-0 3/4"	5'-1 1/4"
1656/62-4	6'-8 3/4"	5'-7 1/4"	3256/62-4	12'-0 3/4"	5'-7 1/4"
1662/68-4	6'-8 3/4"	6'-1 1/4"	3262/68-4	12'-0 3/4"	6'-1 1/4"

PRIMED CASEMENT ROUND TOP



UNIT CODE	WIDTH	HEIGHT
2020/44-2	4'-0 3/4"	4'-1 1/4"
2026/50-2	4'-0 3/4"	4'-7 1/4"
2032/56-2	4'-0 3/4"	5'-1 1/4"
2038/62-2	4'-0 3/4"	5'-7 1/4"
2416/44-2	4'-8 3/4"	4'-1 1/8"
2422/50-2	4'-8 3/4"	4'-7 1/8"
2428/56-2	4'-8 3/4"	5'-1 1/4"
2434/62-2	4'-8 3/4"	5'-7 1/4"
2614/44-2	5'-0 3/4"	4'-1 1/8"
2620/50-2	5'-0 3/4"	4'-7 1/8"
2626/56-2	5'-0 3/4"	5'-1 1/4"
2632/62-2	5'-0 3/4"	5'-7 1/4"

PRIMED CASEMENT TRANSOM



UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
1408	1'-6 3/4"	1'-1 1/4"	2020		2'-1 1/4"
1410		1'-3 1/4"	2408	2'-4 3/4"	1'-1 1/4"
1412		1'-5 1/4"	2410		1'-3 1/4"
1414		1'-7 1/4"	2412		1'-5 1/4"
1416		1'-9 1/4"	2414		1'-7 1/4"
1608	1'-8 3/4"	1'-1 1/4"	2416		1'-9 1/4"
1610		1'-3 1/4"	2420		2'-1 1/4"
1612		1'-5 1/4"	2424		2'-5 1/4"
1614		1'-7 1/4"	2608	2'-6 3/4"	1'-1 1/4"
1616		1'-9 1/4"	2610		1'-3 1/4"
2008	2'-0 3/4"	1'-1 1/4"	2612		1'-5 1/4"
2010		1'-3 1/4"	2614		1'-7 1/4"
2012		1'-5 1/4"	2616		1'-9 1/4"
2014		1'-7 1/4"			
2016		1'-9 1/4"			

Additional sizes on next page

PRIMED CASEMENT TRANSOM

(Continued from previous page)


UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
2620		2'-1 1/4"	4420		2'-1 1/4"
2624		2'-5 1/4"	4424		2'-5 1/4"
2626		2'-7 1/4"	4426		2'-7 1/4"
3208	3'-0 3/4"	1'-1 1/4"	5008	4'-6 3/4"	1'-1 1/4"
3210		1'-3 1/4"	5010		1'-3 1/4"
3212		1'-5 1/4"	5012		1'-5 1/4"
3214		1'-7 1/4"	5014		1'-7 1/4"
3216		1'-9 1/4"	5016		1'-9 1/4"
3220		2'-1 1/4"	5020		2'-1 1/4"
3224		2'-5 1/4"	5024		2'-5 1/4"
3226		2'-7 1/4"	5026		2'-7 1/4"
3808	3'-6 3/4"	1'-1 1/4"	5608	5'-0 3/4"	1'-1 1/4"
3810		1'-3 1/4"	5610		1'-3 1/4"
3812		1'-5 1/4"	5612		1'-5 1/4"
3814		1'-7 1/4"	5614		1'-7 1/4"
3816		1'-9 1/4"	5616		1'-9 1/4"
3820		2'-1 1/4"	5620		2'-1 1/4"
3824		2'-5 1/4"	5624		2'-5 1/4"
3826		2'-7 1/4"	5626		2'-7 1/4"
4408	4'-0 3/4"	1'-1 1/4"	6808	6'-0 3/4"	1'-1 1/4"
4410		1'-3 1/4"	6810		1'-3 1/4"
4412		1'-5 1/4"	6812		1'-5 1/4"
4414		1'-7 1/4"	6814		1'-7 1/4"
4416		1'-9 1/4"	6816		1'-9 1/4"
			6820		2'-1 1/4"
			6824		2'-5 1/4"
			6826		2'-7 1/4"

PRIMED AWNING



UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
2014	2'-0 3/4"	1'-7 1/4"	3214	3'-0 3/4"	1'-7 1/4"
2016		1'-9 1/4"	3216		1'-9 1/4"
2020		2'-1 1/4"	3220		2'-1 1/4"
2024		2'-5 1/4"	3224		2'-5 1/4"
2026		2'-7 1/4"	3226		2'-7 1/4"
2414	2'-4 3/4"	1'-7 1/4"	3232		3'-1 1/4"
2416		1'-9 1/4"	3814	3'-6 3/4"	1'-7 1/4"
2420		2'-1 1/4"	3816		1'-9 1/4"
2424		2'-5 1/4"	3820		2'-1 1/4"
2426		2'-7 1/4"	3824		2'-5 1/4"
2614	2'-6 3/4"	1'-7 1/4"	3826		2'-7 1/4"
2616		1'-9 1/4"	3832		3'-1 1/4"
2620		2'-1 1/4"	4414	4'-0 3/4"	1'-7 1/4"
2624		2'-5 1/4"	4416		1'-9 1/4"
2626		2'-7 1/4"	4420		2'-1 1/4"
			4424		2'-5 1/4"
			4426		2'-7 1/4"
			4432		3'-1 1/4"

PRIMED AND LEGEND DOUBLE HUNG




UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
1614-1	1'-10 1/8"	3'-1 1/4"	2830-1	2'-10 1/8"	5'-9 1/4"
1616-1		3'-5 1/4"	2832-1		6'-1 1/4"
1620-1		4'-1 1/4"	2834-1		6'-5 1/4"
1622-1		4'-5 1/4"	2836-1		6'-9 1/4"
1624-1		4'-9 1/4"	28/2436-1	Cottage	5'-9 1/4"
1626-1		5'-1 1/4"	28/3624-1	Oriel	5'-9 1/4"
1628-1		5'-5 1/4"			
1630-1		5'-9 1/4"	3214-1	3'-2 1/8"	3'-1 1/4"
1632-1		6'-1 1/4"	3216-1		3'-5 1/4"
1634-1		6'-5 1/4"	3220-1		4'-1 1/4"
1636-1		6'-9 1/4"	3222-1		4'-5 1/4"
16/2436-1	Cottage	5'-9 1/4"	3224-1		4'-9 1/4"
16/3624-1	Oriel	5'-9 1/4"	3226-1		5'-1 1/4"
			3228-1		5'-5 1/4"
2014-1	2'-2 1/8"	3'-1 1/4"	3230-1		5'-9 1/4"
2016-1		3'-5 1/4"	3232-1		6'-1 1/4"
2020-1		4'-1 1/4"	3234-1		6'-5 1/4"
2022-1		4'-5 1/4"	3236-1		6'-9 1/4"
2024-1		4'-9 1/4"	32/2436-1	Cottage	5'-9 1/4"
2026-1		5'-1 1/4"	32/3624-1	Oriel	5'-9 1/4"
2028-1		5'-5 1/4"			
2030-1		5'-9 1/4"	3614-1	3'-6 1/8"	3'-1 1/4"
2032-1		6'-1 1/4"	3616-1		3'-5 1/4"
2034-1		6'-5 1/4"	3620-1		4'-1 1/4"
2036-1		6'-9 1/4"	3622-1		4'-5 1/4"
20/2436-1	Cottage	5'-9 1/4"	3624-1		4'-9 1/4"
20/3624-1	Oriel	5'-9 1/4"	3626-1		5'-1 1/4"
			3628-1		5'-5 1/4"
2414-1	2'-6 1/8"	3'-1 1/4"	3630-1		5'-9 1/4"
2416-1		3'-5 1/4"	3632-1		6'-1 1/4"
2420-1		4'-1 1/4"	3634-1		6'-5 1/4"
2422-1		4'-5 1/4"	3636-1		6'-9 1/4"
2424-1		4'-9 1/4"	36/2436-1	Cottage	5'-9 1/4"
2426-1		5'-1 1/4"	36/3624-1	Oriel	5'-9 1/4"
2428-1		5'-5 1/4"			
2430-1		5'-9 1/4"	4014-1	3'-10 1/8"	3'-1 1/4"
2432-1		6'-1 1/4"	4016-1		3'-5 1/4"
2434-1		6'-5 1/4"	4020-1		4'-1 1/4"
2436-1		6'-9 1/4"	4022-1		4'-5 1/4"
24/2436-1	Cottage	5'-9 1/4"	4024-1		4'-9 1/4"
24/3624-1	Oriel	5'-9 1/4"	4026-1		5'-1 1/4"
			4028-1		5'-5 1/4"
2814-1	2'-10 1/8"	3'-1 1/4"	4030-1		5'-9 1/4"
2816-1		3'-5 1/4"	4032-1		6'-1 1/4"
2820-1		4'-1 1/4"	4034-1		6'-5 1/4"
2822-1		4'-5 1/4"	4036-1		6'-9 1/4"
2824-1		4'-9 1/4"	40/2436-1	Cottage	5'-9 1/4"
2826-1		5'-1 1/4"	40/3624-1	Oriel	5'-9 1/4"
2828-1		5'-5 1/4"			

Legend products not available
in 40" Widths

PICTURES WITH FLANKERS

ADD TOGETHER FRAME WIDTHS FOR INDIVIDUAL
UNITS + 3/4". HEIGHTS REMAIN AS SHOWN.

PRIMED AND LEGEND DOUBLE HUNG
TWIN UNITS



UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
1614-2	3'-7 1/2"	3'-1 1/4"	2830-2	5'-7 1/2"	5'-9 1/4"
1616-2		3'-5 1/4"	2832-2		6'-1 1/4"
1620-2		4'-1 1/4"	2834-2		6'-5 1/4"
1622-2		4'-5 1/4"	2836-2		6'-9 1/4"
1624-2		4'-9 1/4"	28/2436-2	Cottage	5'-9 1/4"
1626-2		5'-1 1/4"	28/3624-2	Oriel	5'-9 1/4"
1628-2		5'-5 1/4"			
1630-2		5'-9 1/4"	3214-2	6'-3 1/2"	3'-1 1/4"
1632-2		6'-1 1/4"	3216-2		3'-5 1/4"
1634-2		6'-5 1/4"	3220-2		4'-1 1/4"
1636-2		6'-9 1/4"	3222-2		4'-5 1/4"
16/2436-2	Cottage	5'-9 1/4"	3224-2		4'-9 1/4"
16/3624-2	Oriel	5'-9 1/4"	3226-2		5'-1 1/4"
			3228-2		5'-5 1/4"
2014-2	4'-3 1/2"	3'-1 1/4"	3230-2		5'-9 1/4"
2016-2		3'-5 1/4"	3232-2		6'-1 1/4"
2020-2		4'-1 1/4"	3234-2		6'-5 1/4"
2022-2		4'-5 1/4"	3236-2		6'-9 1/4"
2024-2		4'-9 1/4"	32/2436-2	Cottage	5'-9 1/4"
2026-2		5'-1 1/4"	32/3624-2	Oriel	5'-9 1/4"
2028-2		5'-5 1/4"			
2030-2		5'-9 1/4"	3614-2	6'-11 1/2"	3'-1 1/4"
2032-2		6'-1 1/4"	3616-2		3'-5 1/4"
2034-2		6'-5 1/4"	3620-2		4'-1 1/4"
2036-2		6'-9 1/4"	3622-2		4'-5 1/4"
20/2436-2	Cottage	5'-9 1/4"	3624-2		4'-9 1/4"
20/3624-2	Oriel	5'-9 1/4"	3626-2		5'-1 1/4"
			3628-2		5'-5 1/4"
2414-2	4'-11 1/2"	3'-1 1/4"	3630-2		5'-9 1/4"
2416-2		3'-5 1/4"	3632-2		6'-1 1/4"
2420-2		4'-1 1/4"	3634-2		6'-5 1/4"
2422-2		4'-5 1/4"	3636-2		6'-9 1/4"
2424-2		4'-9 1/4"	36/2436-2	Cottage	5'-9 1/4"
2426-2		5'-1 1/4"	36/3624-2	Oriel	5'-9 1/4"
2428-2		5'-5 1/4"			
2430-2		5'-9 1/4"	4014-2	7'-7 1/2"	3'-1 1/4"
2432-2		6'-1 1/4"	4016-2		3'-5 1/4"
2434-2		6'-5 1/4"	4020-2		4'-1 1/4"
2436-2		6'-9 1/4"	4022-2		4'-5 1/4"
24/2436-2	Cottage	5'-9 1/4"	4024-2		4'-9 1/4"
24-3624-2	Oriel	5'-9 1/4"	4026-2		5'-1 1/4"
			4028-2		5'-5 1/4"
2814-2	5'-7 1/2"	3'-1 1/4"	4030-2		5'-9 1/4"
2816-2		3'-5 1/4"	4032-2		6'-1 1/4"
2820-2		4'-1 1/4"	4034-2		6'-5 1/4"
2822-2		4'-5 1/4"	4036-2		6'-9 1/4"
2824-2		4'-9 1/4"	40/2436-2	Cottage	5'-9 1/4"
2826-2		5'-1 1/4"	40/3624-2	Oriel	5'-9 1/4"
2828-2		5'-5 1/4"			

Legend products not available
in 40" Widths


PRIMED AND LEGEND DOUBLE HUNG
TRIPLE UNITS



UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT	
1614-3	5'-4 7/8"	3'-1 1/4"	2830-3	8'-4 7/8"	5'-9 1/4"	
1616-3		3'-5 1/4"	2832-3		6'-1 1/4"	
1620-3		4'-1 1/4"	2834-3		6'-5 1/4"	
1622-3		4'-5 1/4"	2836-3		6'-9 1/4"	
1624-3		4'-9 1/4"	28/2436-3 Cottage		5'-9 1/4"	
1626-3		5'-1 1/4"	28/3624-3 Oriel		5'-9 1/4"	
1628-3		5'-5 1/4"				
1630-3		5'-9 1/4"	3214-3		9'-4 7/8"	3'-1 1/4"
1632-3		6'-1 1/4"	3216-3			3'-5 1/4"
1634-3		6'-5 1/4"	3220-3			4'-1 1/4"
1636-3	6'-9 1/4"	3222-3	4'-5 1/4"			
16/2436-3 Cottage	5'-9 1/4"	3224-3	4'-9 1/4"			
16/3624-3 Oriel	5'-9 1/4"	3226-3	5'-1 1/4"			
		3228-3	5'-5 1/4"			
2014-3	6'-4 7/8"	3'-1 1/4"	3230-3	5'-9 1/4"		
2016-3		3'-5 1/4"	3232-3	6'-1 1/4"		
2020-3		4'-1 1/4"	3234-3	6'-5 1/4"		
2022-3		4'-5 1/4"	3236-3	6'-9 1/4"		
2024-3		4'-9 1/4"	32/2436-3 Cottage	5'-9 1/4"		
2026-3		5'-1 1/4"	32/3624-3 Oriel	5'-9 1/4"		
2028-3		5'-5 1/4"				
2030-3		5'-9 1/4"	3614-3	10'-4 7/8"	3'-1 1/4"	
2032-3		6'-1 1/4"	3616-3		3'-5 1/4"	
2034-3		6'-5 1/4"	3620-3		4'-1 1/4"	
2036-3	6'-9 1/4"	3622-3	4'-5 1/4"			
20/2436-3 Cottage	5'-9 1/4"	3624-3	4'-9 1/4"			
20/3624-3 Oriel	5'-9 1/4"	3626-3	5'-1 1/4"			
		3628-3	5'-5 1/4"			
2414-3	7'-4 7/8"	3'-1 1/4"	3630-3		5'-9 1/4"	
2416-3		3'-5 1/4"	3632-3		6'-1 1/4"	
2420-3		4'-1 1/4"	3634-3		6'-5 1/4"	
2422-3		4'-5 1/4"	3636-3	6'-9 1/4"		
2424-3		4'-9 1/4"	36/2436-3 Cottage	5'-9 1/4"		
2426-3		5'-1 1/4"	36/3624-3 Oriel	5'-9 1/4"		
2428-3		5'-5 1/4"				
2430-3		5'-9 1/4"	4014-3	11'-4 7/8"	3'-1 1/4"	
2432-3		6'-1 1/4"	4016-3		3'-5 1/4"	
2434-3		6'-5 1/4"	4020-3		4'-1 1/4"	
2436-3	6'-9 1/4"	4022-3	4'-5 1/4"			
24/2436-3 Cottage	5'-9 1/4"	4024-3	4'-9 1/4"			
24-3624-3 Oriel	5'-9 1/4"	4026-3	5'-1 1/4"			
		4028-3	5'-5 1/4"			
2814-3	8'-4 7/8"	3'-1 1/4"	4030-3		5'-9 1/4"	
2816-3		3'-5 1/4"	4032-3		6'-1 1/4"	
2820-3		4'-1 1/4"	4034-3		6'-5 1/4"	
2822-3		4'-5 1/4"	4036-3	6'-9 1/4"		
2824-3		4'-9 1/4"	40/2436-3 Cottage	5'-9 1/4"		
2826-3		5'-1 1/4"	40/3624-3 Oriel	5'-9 1/4"		
2828-3		5'-5 1/4"				

Legend products not available
in 40" Widths

PRIMED AND LEGEND DOUBLE HUNG – PICTURE



UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
0842	1'-2 1/8"	4'-1 1/4"	2842	2'-10 1/8"	4'-1 1/4"
0846		4'-5 1/4"	2846		4'-5 1/4"
0850		4'-9 1/4"	2850		4'-9 1/4"
0854		5'-1 1/4"	2854		5'-1 1/4"
0858		5'-5 1/4"	2858		5'-5 1/4"
0862		5'-9 1/4"	2862		5'-9 1/4"
0866		6'-1 1/4"	2866		6'-1 1/4"
0870		6'-5 1/4"	2870		6'-5 1/4"
1042	1'-4 1/8"	4'-1 1/4"	3242	3'-2 1/8"	4'-1 1/4"
1046		4'-5 1/4"	3246		4'-5 1/4"
1050		4'-9 1/4"	3250		4'-9 1/4"
1054		5'-1 1/4"	3254		5'-1 1/4"
1058		5'-5 1/4"	3258		5'-5 1/4"
1062		5'-9 1/4"	3260		5'-9 1/4"
1066		6'-1 1/4"	3266		6'-1 1/4"
1070		6'-5 1/4"	3270		6'-5 1/4"
1242	1'-6 1/8"	4'-1 1/4"	4442	4'-2 1/8"	4'-1 1/4"
1246		4'-5 1/4"	4446		4'-5 1/4"
1250		4'-9 1/4"	4450		4'-9 1/4"
1254		5'-1 1/4"	4454		5'-1 1/4"
1258		5'-5 1/4"	4458		5'-5 1/4"
1262		5'-9 1/4"	4462		5'-9 1/4"
1266		6'-1 1/4"	4466		6'-1 1/4"
1270		6'-5 1/4"	4470		6'-5 1/4"
2042	2'-2 1/8"	4'-1 1/4"	5642	5'-2 1/8"	4'-1 1/4"
2046		4'-5 1/4"	5646		4'-5 1/4"
2050		4'-9 1/4"	5650		4'-9 1/4"
2054		5'-1 1/4"	5654		5'-1 1/4"
2058		5'-5 1/4"	5658		5'-5 1/4"
2062		5'-9 1/4"	5662		5'-9 1/4"
2066		6'-1 1/4"	5666		6'-1 1/4"
2070		6'-5 1/4"	5670		6'-5 1/4"
2442	2'-6 1/8"	4'-1 1/4"	6842	6'-2 1/8"	4'-1 1/4"
2446		4'-5 1/4"	6846		4'-5 1/4"
2450		4'-9 1/4"	6850		4'-9 1/4"
2454		5'-1 1/4"	6854		5'-1 1/4"
2458		5'-5 1/4"	6858		5'-5 1/4"
2462		5'-9 1/4"	6862		5'-9 1/4"
2466		6'-1 1/4"	6866		6'-1 1/4"
2470		6'-5 1/4"	6870		6'-5 1/4"

PRIMED DOUBLE HUNG TRANSOM

In-sash

UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
1608	1'-10 1/8"	1'-2 1/16"	3608	3'-6 1/8"	1'-2 1/16"
1610		1'-4 1/16"	3610		1'-4 1/16"
1612		1'-6 1/16"	3612		1'-6 1/16"
1614		1'-8 1/16"	3614		1'-8 1/16"
1620		2'-2 1/16"	3620		2'-2 1/16"
1626		2'-8 1/16"	3626		2'-8 1/16"
1632		3'-2 1/16"	3632		3'-2 1/16"
2008	2'-2 1/8"	1'-2 1/16"	4008	3'-10 1/8"	1'-2 1/16"
2010		1'-4 1/16"	4010		1'-4 1/16"
2012		1'-6 1/16"	4012		1'-6 1/16"
2014		1'-8 1/16"	4014		1'-8 1/16"
2020		2'-2 1/16"	4020		2'-2 1/16"
2026		2'-8 1/16"	4026		2'-8 1/16"
2032		3'-2 1/16"	4032		3'-2 1/16"
2408	2'-6 1/8"	1'-2 1/16"	4408	4'-2 1/8"	1'-2 1/16"
2410		1'-4 1/16"	4410		1'-4 1/16"
2412		1'-6 1/16"	4412		1'-6 1/16"
2414		1'-8 1/16"	4414		1'-8 1/16"
2420		2'-2 1/16"	4420		2'-2 1/16"
2426		2'-8 1/16"	4426		2'-8 1/16"
2432		3'-2 1/16"	4432		3'-2 1/16"
2808	2'-10 1/8"	1'-2 1/16"	5608	5'-2 1/8"	1'-2 1/16"
2810		1'-4 1/16"	5610		1'-4 1/16"
2812		1'-6 1/16"	5612		1'-6 1/16"
2814		1'-8 1/16"	5614		1'-8 1/16"
2820		2'-2 1/16"	5620		2'-2 1/16"
2826		2'-8 1/16"	5626		2'-8 1/16"
2832		3'-2 1/16"	5632		3'-2 1/16"
3208	3'-2 1/8"	1'-2 1/16"	6808	6'-2 1/8"	1'-2 1/16"
3210		1'-4 1/16"	6810		1'-4 1/16"
3212		1'-6 1/16"	6812		1'-6 1/16"
3214		1'-8 1/16"	6814		1'-8 1/16"
3220		2'-2 1/16"	6820		2'-2 1/16"
3226		2'-8 1/16"	6826		2'-8 1/16"
3232		3'-2 1/16"	6832		3'-2 1/16"

LEGEND DOUBLE HUNG TRANSOM

Direct Glaze

UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
1608	1'-10 1/8"	1'-1 7/8"	2808	2'-10 1/8"	1'-1 7/8"
1610		1'-3 7/8"	2810		1'-3 7/8"
1612		1'-5 7/8"	2812		1'-5 7/8"
1614		1'-7 7/8"	2814		1'-7 7/8"
1620		2'-1 7/8"	2820		2'-1 7/8"
1626		2'-7 7/8"	2826		2'-7 7/8"
1632		3'-1 7/8"	2832		3'-1 7/8"
2008	2'-2 1/8"	1'-1 7/8"	3208	3'-2 1/8"	1'-1 7/8"
2010		1'-3 7/8"	3210		1'-3 7/8"
2012		1'-5 7/8"	3212		1'-5 7/8"
2014		1'-7 7/8"	3214		1'-7 7/8"
2020		2'-1 7/8"	3220		2'-1 7/8"
2026		2'-7 7/8"	3226		2'-7 7/8"
2032		3'-1 7/8"	3232		3'-1 7/8"
2408	2'-6 1/8"	1'-1 7/8"	3608	3'-6 1/8"	1'-1 7/8"
2410		1'-3 7/8"	3610		1'-3 7/8"
2412		1'-5 7/8"	3612		1'-5 7/8"
2414		1'-7 7/8"	3614		1'-7 7/8"
2420		2'-1 7/8"	3620		2'-1 7/8"
2426		2'-7 7/8"	3626		2'-7 7/8"
2432		3'-1 7/8"	3632		3'-1 7/8"

LEGEND DOUBLE HUNG TRANSOM
Direct Glaze (Continued from previous page)

UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT		
4008	3'-10 1/8"	1'-1 7/8"	5608	5'-2 1/8"	1'-1 7/8"		
4010		1'-3 7/8"	5610		1'-3 7/8"		
4012		1'-5 7/8"	5612		1'-5 7/8"		
4014		1'-7 7/8"	5614		1'-7 7/8"		
4020		2'-1 7/8"	5620		2'-1 7/8"		
4026		2'-7 7/8"	5626		2'-7 7/8"		
4032		3'-1 7/8"	5632		3'-1 7/8"		
4408		4'-2 1/8"	1'-1 7/8"		6808	6'-2 1/8"	1'-1 7/8"
4410			1'-3 7/8"		6810		1'-3 7/8"
4412			1'-5 7/8"		6812		1'-5 7/8"
4414	1'-7 7/8"		6814	1'-7 7/8"			
4420	2'-1 7/8"		6820	2'-1 7/8"			
4426	2'-7 7/8"		6826	2'-7 7/8"			
4432	3'-1 7/8"		6832	3'-1 7/8"			

LEGEND DOUBLE HUNG TRANSOM
In-sash

UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT		
1608	1'-10 1/8"	1'-2 5/8"	3608	3'-6 1/8"	1'-2 5/8"		
1610		1'-4 5/8"	3610		1'-4 5/8"		
1612		1'-6 5/8"	3612		1'-6 5/8"		
1614		1'-8 5/8"	3614		1'-8 5/8"		
1620		2'-2 5/8"	3620		2'-2 5/8"		
1626		2'-8 5/8"	3626		2'-8 5/8"		
1632		3'-2 5/8"	3632		3'-2 5/8"		
2008		2'-2 1/8"	1'-2 5/8"		4008	3'-10 1/8"	1'-2 5/8"
2010			1'-4 5/8"		4010		1'-4 5/8"
2012			1'-6 5/8"		4012		1'-6 5/8"
2014	1'-8 5/8"		4014	1'-8 5/8"			
2020	2'-2 5/8"		4020	2'-2 5/8"			
2026	2'-8 5/8"		4026	2'-8 5/8"			
2032	3'-2 5/8"		4032	3'-2 5/8"			
2408	2'-6 1/8"	1'-2 5/8"	4408	4'-2 1/8"	1'-2 5/8"		
2410		1'-4 5/8"	4410		1'-4 5/8"		
2412		1'-6 5/8"	4412		1'-6 5/8"		
2414		1'-8 5/8"	4414		1'-8 5/8"		
2420		2'-2 5/8"	4420		2'-2 5/8"		
2426		2'-8 5/8"	4426		2'-8 5/8"		
2432		3'-2 5/8"	4432		3'-2 5/8"		
2808	2'-10 1/8"	1'-2 5/8"	5608	5'-2 1/8"	1'-2 5/8"		
2810		1'-4 5/8"	5610		1'-4 5/8"		
2812		1'-6 5/8"	5612		1'-6 5/8"		
2814		1'-8 5/8"	5614		1'-8 5/8"		
2820		2'-2 5/8"	5620		2'-2 5/8"		
2826		2'-8 5/8"	5626		2'-8 5/8"		
2832		3'-2 5/8"	5632		3'-2 5/8"		
3208		3'-2 1/8"	1'-2 5/8"		6808	6'-2 1/8"	1'-2 5/8"
3210			1'-4 5/8"		6810		1'-4 5/8"
3212			1'-6 5/8"		6812		1'-6 5/8"
3214	1'-8 5/8"		6814	1'-8 5/8"			
3220	2'-2 5/8"		6820	2'-2 5/8"			
3226	2'-8 5/8"		6826	2'-8 5/8"			
3232	3'-2 5/8"		6832	3'-2 5/8"			

PRIMED AND LEGEND DOUBLE HUNG BAY UNITS
Standard Bays

CALL-OUT WIDTHS	ROUGH OPENING	30DEG	ROUGH OPENING	45DEG
20-44-20	8'-1 7/8"	14"	7'-6 1/2"	20 1/4"
20-56-20	9'-1 7/8"	14"	8'-6 1/2"	20 1/4"
20-68-20	10'-1 7/8"	14"	9'-6 1/2"	20 1/4"
24-44-24	8'-8 3/4"	16"	8'-0 1/8"	23 1/8"
24-56-24	9'-8 3/4"	16"	9'-0 1/8"	23 1/8"
24-68-24	10'-8 3/4"	16"	10'-0 1/8"	23 1/8"
28-44-28	9'-3 3/4"	18"	8'-5 3/4"	25 15/16"
28-56-28	10'-3 3/4"	18"	9'-5 3/4"	25 15/16"
28-68-28	11'- 3 3/4"	18"	10'-5 3/4"	25 15/16"
32-44-32	9'-10 5/8"	20"	8'-11 1/2"	28 3/4"
32-56-32	10'-10 5/8"	20"	9'-11 1/2"	28 3/4"
32-68-32	11'-10 5/8"	20"	10'-11 1/2"	28 3/4"

CALL-OUT HEIGHTS	ROUGH OPENING
24/50	4'-10"
28/58	5'-6"
32/66	6'-2"

PRIMED AND LEGEND DOUBLE HUNG BAY UNITS
Non-Standard Bays

WIDTHS	30DEG	45DEG
16" FLANKER : CENTER GLASS +	46 7/8"	40 7/8"
20" FLANKER : CENTER GLASS +	53 7/8"	46 1/2"
24" FLANKER : CENTER GLASS +	60 3/4"	52 1/8"
28" FLANKER : CENTER GLASS +	67 3/4"	57 3/4"
32" FLANKER : CENTER GLASS +	74 5/8"	63 1/2"
36" FLANKER : CENTER GLASS +	81 5/8"	69 1/8"

HEIGHTS

WALK OUT OPTION – STANDARD ROUGH OPENING

HEAD & SEAT BOARD OPTION – STANDARD R.O. + 3/4"

PRIMED & CLAD SEG-TOP SINGLE HUNG



UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
2422	2'-6 1/8"	4'-9 1/16"	2830	2'-10 1/8"	6'-1 1/16"
2424		5'-1 1/16"	2832		6'-5 1/16"
2426		5'-5 1/16"	2834		6'-9 1/16"
2428		5'-9 1/16"	2836		7'-1 1/16"
2430		6'-1 1/16"	3222	3'-2 1/8"	4'-9 1/16"
2432		6'-5 1/16"	3224		5'-1 1/16"
2434		6'-9 1/16"	3226		5'-5 1/16"
2436		7'-1 1/16"	3228		5'-9 1/16"
2822	2'-10 1/8"	4'-9 1/16"	3230		6'-1 1/16"
2824		5'-1 1/16"	3232		6'-5 1/16"
2826		5'-5 1/16"	3234		6'-9 1/16"
2828		5'-9 1/16"	3236		7'-1 1/16"

PRIMED & CLAD ROUND TOP SINGLE HUNG



UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
2422	2'-6 1/8"	5'-5 3/8"	2830	2'-10 1/8"	6'-11 3/8"
2424		5'-9 3/8"	2832		7'-3 3/8"
2426		6'-1 3/8"	2834		7'-7 3/8"
2428		6'-5 3/8"	2836		7'-11 3/8"
2430		6'-9 3/8"	3222	3'-2 1/8"	5'-9 3/8"
2432		7'-1 3/8"	3224		6'-1 3/8"
2434		7'-5 3/8"	3226		6'-5 3/8"
2436		7'-9 3/8"	3228		6'-9 3/8"
2822	2'-10 1/8"	5'-7 3/8"	3230		7'-1 3/8"
2824		5'-11 3/8"	3232		7'-5 3/8"
2826		6'-3 3/8"	3234		7'-9 3/8"
2828		6'-7 3/8"	3236		8'-1 3/8"

SINGLE HUNG ORIELS

UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
16/4628	1'-10 1/8"	7'-0"	28/4628	2'-10 1/8"	7'-0"
16/5228		7'-6"	28/5228		7'-6"
16/5828		8'-0"	28/5828		8'-0"
20/4628	2'-2 1/8"	7'-0"	32/4628	3'-2 1/8"	7'-0"
20/5228		7'-6"	32/5228		7'-6"
20/5828		8'-0"	32/5828		8'-0"
24/4628	2'-6 1/8"	7'-0"			
24/5228		7'-6"			
24/5828		8'-0"			

PRIMED FRENCH SLIDER



UNIT CODE	WIDTH	HEIGHT			
		6'-8"	6'-10"	8'-0"	9'-0"
2-6	2'-8 3/4"	6'-8"	6'-11"	8'-0"	N/A
5-0	4'-11 3/4"	6'-8"	6'-11"	8'-0"	N/A
7-6	7'-7 3/4"	6'-8"	6'-11"	8'-0"	N/A
10-0 QUAD	9'-8 9/16"	6'-8"	6'-11"	8'-0"	N/A
3-0	3'-2 3/4"	6'-8"	6'-11"	8'-0"	N/A
6-0	5'-11 3/4"	6'-8"	6'-11"	8'-0"	N/A
9-0	9'-1 3/4"	6'-8"	6'-11"	8'-0"	N/A
12-0 QUAD	11'-8 9/16"	6'-8"	6'-11"	8'-0"	N/A
4-0	4'-2 3/4"	6'-8"	6'-11"	8'-0"	N/A
8-0	7'-11 3/4"	6'-8"	6'-11"	8'-0"	N/A
12-0	12'-1 3/4"	6'-8"	6'-11"	8'-0"	N/A
16-0 QUAD	15'-8 9/16"	6'-8"	6'-11"	8'-0"	N/A

PRIMED SLIDING PATIO DOOR SIDELITE

UNIT CODE	WIDTH	HEIGHT		
1-2	1'-3"	6'-8"	6'-11"	8'-0"
1-4	1'-5"	6'-8"	6'-11"	8'-0"
1-6	1'-7"	6'-8"	6'-11"	8'-0"

PRIMED SLIDING PATIO DOOR ELLIPSE

UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
5018	5'-0"	1'-6 1/2"	6018	6'-0"	1'-6 1/2"

PRIMED SLIDER HALF ROUND

UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
5-0	5'-0"	2'-6"	6-0	6'-0"	3'-0"

PRIMED SLIDING PATIO DOOR DIRECT SET TRANSOM

UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
2611-1	2'-8 3/4"	1'-1 1/2"	5011-1	4'-11 3/4"	1'-1 1/2"
2614-1		1'-4 1/2"	5014-1		1'-4 1/2"
2620-1		2'-0 1/2"	5020-1		2'-0 1/2"
3011-1	3'-2 3/4"	1'-1 1/2"	6011-1	5'-11 3/4"	1'-1 1/2"
3014-1		1'-4 1/2"	6014-1		1'-4 1/2"
3020-1		2'-0 1/2"	6020-1		2'-0 1/2"
4011-1	4'-2 3/4"	1'-1 1/2"	8011-1	7'-11 3/4"	1'-1 1/2"
4014-1		1'-4 1/2"	8014-1		1'-4 1/2"
4020-1		2'-0 1/2"	8020-1		2'-0 1/2"

PRIMED IN-SWING

UNIT CODE	WIDTH	6-8	6-10	8-0	9-0
2-6	2'-6 15/16"	6'-8"	6'-10 7/8"	7'-11 7/8"	8'-11 7/8"
2-8	2'-8 15/16"	6'-8"	6'-10 7/8"	7'-11 7/8"	8'-11 7/8"
3-0	3'-0 15/16"	6'-8"	6'-10 7/8"	7'-11 7/8"	8'-11 7/8"
3-2	3'-2 7/16"	6'-8"	6'-10 7/8"	7'-11 7/8"	N/A
5-0	5'-0 3/4"	6'-8"	6'-10 7/8"	7'-11 7/8"	8'-11 7/8"
5-4	5'-4 3/4"	6'-8"	6'-10 7/8"	7'-11 7/8"	8'-11 7/8"
6-0	6'-0 3/4"	6'-8"	6'-10 7/8"	7'-11 7/8"	8'-11 7/8"
6-4	6'-3 3/4"	6'-8"	6'-10 7/8"	7'-11 7/8"	N/A
7-6	7'-6 9/16"	6'-8"	6'-10 7/8"	7'-11 7/8"	N/A
8-0	8'-0 9/16"	6'-8"	6'-10 7/8"	7'-11 7/8"	N/A
9-0	9'-0 9/16"	6'-8"	6'-10 7/8"	7'-11 7/8"	N/A

PRIMED PATIO DOOR IN-SWING SIDELITE

UNIT CODE	WIDTH	HEIGHT			
1-2	1'-3"	6'-8"	6'-11"	8'-0"	9'-0"
1-4	1'-5"	6'-8"	6'-11"	8'-0"	9'-0"
1-6	1'-7"	6'-8"	6'-11"	8'-0"	9'-0"
2-0	2'-1 1/4"	6'-8"	6'-11"	8'-0"	9'-0"


PRIMED IN-SWING IN-SASH TRANSOM

UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
2611-1	2'-6 15/16"	1'-1 1/2"	5011-1	5'-0 3/4"	1'-1 1/2"
2614-1		1'-4 1/2"	5014-1		1'-4 1/2"
2620-1		2'-0 1/2"	5020-1		2'-0 1/2"
2811-1	2'-8 15/16"	1'-1 1/2"	5411-1	5'-4 3/4"	1'-1 1/2"
2814-1		1'-4 1/2"	5414-1		1'-4 1/2"
2820-1		2'-0 1/2"	5420-1		2'-0 1/2"
3011-1	3'-0 15/16"	1'-1 1/2"	6011-1	6'-0 3/4"	1'-1 1/2"
3014-1		1'-4 1/2"	6014-1		1'-4 1/2"
3020-1		2'-0 1/2"	6020-1		2'-0 1/2"
3211-1	3'-2 7/16"	1'-1 1/2"	6411-1	6'-3 3/4"	1'-1 1/2"
3214-1		1'-4 1/2"	6414-1		1'-4 1/2"
3220-1		2'-0 1/2"	6420-1		2'-0 1/2"
			7614-1		1'-4 1/2"
			7620-1	7'-6 9/16"	2'-0 1/2"
			8014-1		1'-4 1/2"
			8020-1	8'-0 9/16"	2'-0 1/2"
			9014-1		1'-4 1/2"
			9020-1	9'-0 9/16"	2'-0 1/2"

PRIMED & LEGEND PATIO DOOR HALF ROUND


UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
2-6	2'-7 1/4"	1'-3 3/4"	5-0	5'-1"	2'-6 1/2"
2-8	2'-9 1/4"	1'-4 3/4"	5-4	5'-5"	2'-8 1/2"
3-0	3'-1 1/4"	1'-6 3/4"	6-0	6'-1"	3'-0 1/2"
4-0	4'-1"	2'-0 1/2"			

PRIMED & LEGEND PATIO DOOR ELLIPSE



UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
5-0	5'-1"	1'-6 1/2"	6-0	6'-1"	1'-6 1/2"

CLAD CASEMENT – 1 & 2 WIDE UNITS



UNIT
CODE

WIDTH

HEIGHT



UNIT
CODE

WIDTH

HEIGHT

1420-1	1'-6 3/4"	2'-0 1/2"	1420-2	3'-0 3/4"	2'-0 1/2"
1426-1		2'-6 1/2"	1426-2		2'-6 1/2"
1432-1		3'-0 1/2"	1432-2		3'-0 1/2"
1438-1		3'-6 1/2"	1438-2		3'-6 1/2"
1444-1		4'-0 1/2"	1444-2		4'-0 1/2"
1450-1		4'-6 1/2"	1450-2		4'-6 1/2"
1456-1		5'-0 1/2"	1456-2		5'-0 1/2"
1462-1		5'-6 1/2"	1462-2		5'-6 1/2"
1468-1		6'-0 1/2"	1468-2		6'-0 1/2"
1474-1		6'-6 1/2"	1474-2		6'-6 1/2"
1620-1	1'-8 3/4"	2'-0 1/2"	1620-2	3'-4 3/4"	2'-0 1/2"
1626-1		2'-6 1/2"	1626-2		2'-6 1/2"
1632-1		3'-0 1/2"	1632-2		3'-0 1/2"
1638-1		3'-6 1/2"	1638-2		3'-6 1/2"
1644-1		4'-0 1/2"	1644-2		4'-0 1/2"
1650-1		4'-6 1/2"	1650-2		4'-6 1/2"
1656-1		5'-0 1/2"	1656-2		5'-0 1/2"
1662-1		5'-6 1/2"	1662-2		5'-6 1/2"
1668-1		6'-0 1/2"	1668-2		6'-0 1/2"
1674-1		6'-6 1/2"	1674-2		6'-6 1/2"
2020-1	2'-0 3/4"	2'-0 1/2"	2020-2	4'-0 3/4"	2'-0 1/2"
2026-1		2'-6 1/2"	2026-2		2'-6 1/2"
2032-1		3'-0 1/2"	2032-2		3'-0 1/2"
2038-1		3'-6 1/2"	2038-2		3'-6 1/2"
2044-1		4'-0 1/2"	2044-2		4'-0 1/2"
2050-1		4'-6 1/2"	2050-2		4'-6 1/2"
2056-1		5'-0 1/2"	2056-2		5'-0 1/2"
2062-1		5'-6 1/2"	2062-2		5'-6 1/2"
2068-1		6'-0 1/2"	2068-2		6'-0 1/2"
2074-1		6'-6 1/2"	2074-2		6'-6 1/2"
2420-1	2'-4 3/4"	2'-0 1/2"	2420-2	4'-8 3/4"	2'-0 1/2"
2426-1		2'-6 1/2"	2426-2		2'-6 1/2"
2432-1		3'-0 1/2"	2432-2		3'-0 1/2"
2438-1		3'-6 1/2"	2438-2		3'-6 1/2"
2444-1		4'-0 1/2"	2444-2		4'-0 1/2"
2450-1		4'-6 1/2"	2450-2		4'-6 1/2"
2456-1		5'-0 1/2"	2456-2		5'-0 1/2"
2462-1		5'-6 1/2"	2462-2		5'-6 1/2"
2468-1		6'-0 1/2"	2468-2		6'-0 1/2"
2474-1		6'-6 1/2"	2474-2		6'-6 1/2"
2620-1	2'-6 3/4"	2'-0 1/2"	2620-2	5'-0 3/4"	2'-0 1/2"
2626-1		2'-6 1/2"	2626-2		2'-6 1/2"
2632-1		3'-0 1/2"	2632-2		3'-0 1/2"
2638-1		3'-6 1/2"	2638-2		3'-6 1/2"
2644-1		4'-0 1/2"	2644-2		4'-0 1/2"
2650-1		4'-6 1/2"	2650-2		4'-6 1/2"
2656-1		5'-0 1/2"	2656-2		5'-0 1/2"
2662-1		5'-6 1/2"	2662-2		5'-6 1/2"
2668-1		6'-0 1/2"	2668-2		6'-0 1/2"
3220-1	3'-0 3/4"	2'-0 1/2"	3220-2	6'-0 3/4"	2'-0 1/2"
3226-1		2'-6 1/2"	3226-2		2'-6 1/2"
3232-1		3'-0 1/2"	3232-2		3'-0 1/2"
3238-1		3'-6 1/2"	3238-2		3'-6 1/2"
3244-1		4'-0 1/2"	3244-2		4'-0 1/2"
3250-1		4'-6 1/2"	3250-2		4'-6 1/2"
3256-1		5'-0 1/2"	3256-2		5'-0 1/2"
3262-1		5'-6 1/2"	3262-2		5'-6 1/2"
3268-1		6'-0 1/2"	3268-2		6'-0 1/2"
3274-1		6'-6 1/2"	3274-2		6'-6 1/2"


CLAD CASEMENT – 3 & 4 WIDE UNITS



UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
1420-3	4'-6 3/4"	2'-0 1/2"	1420-4	6'-0 3/4"	2'-0 1/2"
1426-3		2'-6 1/2"	1426-4		2'-6 1/2"
1432-3		3'-0 1/2"	1432-4		3'-0 1/2"
1438-3		3'-6 1/2"	1438-4		3'-6 1/2"
1444-3		4'-0 1/2"	1444-4		4'-0 1/2"
1450-3		4'-6 1/2"	1450-4		4'-6 1/2"
1456-3		5'-0 1/2"	1456-4		5'-0 1/2"
1462-3		5'-6 1/2"	1462-4		5'-6 1/2"
1468-3		6'-0 1/2"	1468-4		6'-0 1/2"
1474-3		6'-7 1/2"	1474-4		6'-7 1/2"
1620-3	5'-0 3/4"	2'-0 1/2"	1620-4	6'-8 3/4"	2'-0 1/2"
1626-3		2'-6 1/2"	1626-4		2'-6 1/2"
1632-3		3'-0 1/2"	1632-4		3'-0 1/2"
1638-3		3'-6 1/2"	1638-4		3'-6 1/2"
1644-3		4'-0 1/2"	1644-4		4'-0 1/2"
1650-3		4'-6 1/2"	1650-4		4'-6 1/2"
1656-3		5'-0 1/2"	1656-4		5'-0 1/2"
1662-3		5'-6 1/2"	1662-4		5'-6 1/2"
1668-3		6'-0 1/2"	1668-4		6'-0 1/2"
1674-3		6'-6 1/2"	1674-4		6'-6 1/2"
2020-3	6'-0 3/4"	2'-0 1/2"	2020-4	8'-0 3/4"	2'-0 1/2"
2026-3		2'-6 1/2"	2026-4		2'-6 1/2"
2032-3		3'-0 1/2"	2032-4		3'-0 1/2"
2038-3		3'-6 1/2"	2038-4		3'-6 1/2"
2044-3		4'-0 1/2"	2044-4		4'-0 1/2"
2050-3		4'-6 1/2"	2050-4		4'-6 1/2"
2056-3		5'-0 1/2"	2056-4		5'-0 1/2"
2062-3		5'-6 1/2"	2062-4		5'-6 1/2"
2068-3		6'-0 1/2"	2068-4		6'-0 1/2"
2074-3		6'-6 1/2"	2074-4		6'-6 1/2"
2420-3	7'-0 3/4"	2'-0 1/2"	2420-4	9'-4 3/4"	2'-0 1/2"
2426-3		2'-6 1/2"	2426-4		2'-6 1/2"
2432-3		3'-0 1/2"	2432-4		3'-0 1/2"
2438-3		3'-6 1/2"	2438-4		3'-6 1/2"
2444-3		4'-0 1/2"	2444-4		4'-0 1/2"
2450-3		4'-6 1/2"	2450-4		4'-6 1/2"
2456-3		5'-0 1/2"	2456-4		5'-0 1/2"
2462-3		5'-6 1/2"	2462-4		5'-6 1/2"
2468-3		6'-0 1/2"	2468-4		6'-0 1/2"
2474-3		6'-6 1/2"	2474-4		6'-6 1/2"
2620-3	7'-6 3/4"	2'-0 1/2"	2620-4	10'-0 3/4"	2'-0 1/2"
2626-3		2'-6 1/2"	2626-4		2'-6 1/2"
2632-3		3'-0 1/2"	2632-4		3'-0 1/2"
2638-3		3'-6 1/2"	2638-4		3'-6 1/2"
2644-3		4'-0 1/2"	2644-4		4'-0 1/2"
2650-3		4'-6 1/2"	2650-4		4'-6 1/2"
2656-3		5'-0 1/2"	2656-4		5'-0 1/2"
2662-3		5'-6 1/2"	2662-4		5'-6 1/2"
2668-3		6'-0 1/2"	2668-4		6'-0 1/2"
3220-3		9'-0 3/4"	2'-0 1/2"		3220-4
3226-3	2'-6 1/2"		3226-4	2'-6 1/2"	
3232-3	3'-0 1/2"		3232-4	3'-0 1/2"	
3238-3	3'-6 1/2"		3238-4	3'-6 1/2"	
3244-3	4'-0 1/2"		3244-4	4'-0 1/2"	
3250-3	4'-6 1/2"		3250-4	4'-6 1/2"	
3256-3	5'-0 1/2"		3256-4	5'-0 1/2"	
3262-3	5'-6 1/2"		3262-4	5'-6 1/2"	
3268-3	6'-0 1/2"		3268-4	6'-0 1/2"	
3274-3	6'-6 1/2"		3274-4	6'-6 1/2"	

CLAD CASEMENT/AWNING – PICTURE

UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
3832	3'-6 3/4"	3'-0 1/2"	5632	5'-0 3/4"	3'-0 1/2"
3838	3'-6 3/4"	3'-6 1/2"	5638	5'-0 3/4"	3'-6 1/2"
3844	3'-6 3/4"	4'-0 1/2"	5644	5'-0 3/4"	4'-0 1/2"
3850	3'-6 3/4"	4'-6 1/2"	5650	5'-0 3/4"	4'-6 1/2"
3856	3'-6 3/4"	5'-0 1/2"	5656	5'-0 3/4"	5'-0 1/2"
3862	3'-6 3/4"	5'-6 1/2"	5662	5'-0 3/4"	5'-6 1/2"
3868	3'-6 3/4"	6'-0 1/2"	5668	5'-0 3/4"	6'-0 1/2"
3874	3'-6 3/4"	6'-6 1/2"	5674	5'-0 3/4"	6'-6 1/2"
4432	4'-0 3/4"	3'-0 1/2"	6832	6'-0 3/4"	3'-0 1/2"
4438	4'-0 3/4"	3'-6 1/2"	6838	6'-0 3/4"	3'-6 1/2"
4444	4'-0 3/4"	4'-0 1/2"	6844	6'-0 3/4"	4'-0 1/2"
4450	4'-0 3/4"	4'-6 1/2"	6850	6'-0 3/4"	4'-6 1/2"
4456	4'-0 3/4"	5'-0 1/2"	6856	6'-0 3/4"	5'-0 1/2"
4462	4'-0 3/4"	5'-6 1/2"	6862	6'-0 3/4"	5'-6 1/2"
4468	4'-0 3/4"	6'-0 1/2"	6868	6'-0 3/4"	6'-0 1/2"
4474	4'-0 3/4"	6'-6 1/2"	6874	6'-0 3/4"	6'-6 1/2"
5032	4'-6 3/4"	3'-1 1/2"			
5038	4'-6 3/4"	3'-7 1/2"			
5044	4'-6 3/4"	4'-1 1/2"			
5050	4'-6 3/4"	4'-7 1/2"			
5056	4'-6 3/4"	5'-1 1/2"			
5062	4'-6 3/4"	5'-7 1/2"			
5068	4'-6 3/4"	6'-1 1/2"			
5074	4'-6 3/4"	6'-7 1/2"			



PICTURES WITH FLANKERS

ADD TOGETHER FRAME WIDTHS FOR INDIVIDUAL UNITS + 3/4".
HEIGHTS REMAIN AS SHOWN.

CLAD CASEMENT BOW UNITS

WIDTHS	ROUGH OPENING	BOW PROJECTION
14-4	6'-1 1/8"	8 1/8"
16-4	6'-8 7/8"	8 7/8"
20-4	8'-0 1/2"	10 5/8"
24-4	9'-4"	12 1/4"
26-4	9'-11 3/4"	13 1/8"
32-4	11'-11 1/4"	15 1/2"
14-5	7'-5 3/4"	12"
16-5	8'-3 1/4"	13 1/4"
20-5	9'-10 1/2"	15 3/4"
24-5	11'-5 7/8"	18 1/8"

HEIGHTS	ROUGH OPENING	HEIGHTS	ROUGH OPENING
20"	2'-1 1/4"	50"	4'-7 1/4"
26"	2'-7 1/4"	56"	5'-1 1/4"
32"	3'-1 1/4"	62"	5'-7 1/4"
38"	3'-7 1/4"	68"	6'-1 1/4"
44"	4'-1 1/4"	74"	6'-7 1/4"

CLAD CASEMENT BAY UNITS

Standard Bays

WIDTHS	ROUGH OPENING	30DEG	ROUGH OPENING	45DEG
20-38-20	7'-3 5/8"	13 1/4"	6'-8 1/2"	19 1/8"
20-44-20	7'-9 5/8"	13 1/4"	7'-2 1/2"	19 1/8"
20-50-20	8'-3 5/8"	13 1/4"	7'-8 1/2"	19 1/8"
20-56-20	8'-9 5/8"	13 1/4"	8'-2 1/2"	19 1/8"
20-68-20	9'-9 5/8"	13 1/4"	9'-2 1/2"	19 1/8"
24-38-24	7'-10 1/2"	15 1/4"	7'-2 1/8"	22"
24-44-24	8'-4 1/2"	15 1/4"	7'-8 1/8"	22"
24-50-24	8'-10 1/2"	15 1/4"	8'-2 1/8"	22"
24-56-24	9'-4 1/2"	15 1/4"	8'-8 1/8"	22"
24-68-24	10'-4 1/2"	15 1/4"	9'-8 1/8"	22"
26-38-26	8'-2"	16 1/4"	7'-5"	23 3/8"
26-44-26	8'-8"	16 1/4"	7'-11"	23 3/8"
26-50-26	9'-2"	16 1/4"	8'-5"	23 3/8"
26-56-26	9'-8"	16 1/4"	8'-11"	23 3/8"
26-68-26	10'-8"	16 1/4"	9'-11"	23 3/8"

HEIGHTS ROUGH
OPENING

44"	4'-1 1/4"
50"	4'-7 1/4"
56"	5'-1 1/4"
62"	5'-7 1/4"

CLAD CASEMENT BAY UNITS

Non-Standard Bays

WIDTHS	30DEG	45DEG
14" FLANKER : CENTER GLASS +	39 1/4"	34 1/8"
16" FLANKER : CENTER GLASS +	42 3/4"	36 7/8"
20" FLANKER : CENTER GLASS +	49 5/8"	42 1/2"
24" FLANKER : CENTER GLASS +	56 1/2"	48 1/8"
26" FLANKER : CENTER GLASS +	60"	51"

HEIGHTS


For the rough opening, add an additional 3/4" to the standard rough opening heights.

CLAD CASEMENT SINGLE SEG-TOP




UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
1638/44	1'-8 3/4"	4'-0 1/2"	2456/62	2'-4 3/4"	5'-6 1/2"
1644/50	1'-8 3/4"	4'-6 1/2"	2462/68	2'-4 3/4"	6'-0 1/2"
1650/56	1'-8 3/4"	5'-0 1/2"	2638/44	2'-6 3/4"	4'-0 1/2"
1656/62	1'-8 3/4"	5'-6 1/2"	2644/50	2'-6 3/4"	4'-6 1/2"
1662/68	1'-8 3/4"	6'-0 1/2"	2650/56	2'-6 3/4"	5'-0 1/2"
2038/44	2'-0 3/4"	4'-0 1/2"	2656/62	2'-6 3/4"	5'-6 1/2"
2044/50	2'-0 3/4"	4'-6 1/2"	2662/68	2'-6 3/4"	6'-0 1/2"
2050/56	2'-0 3/4"	5'-0 1/2"	3238/44	3'-0 3/4"	4'-0 1/2"
2056/62	2'-0 3/4"	5'-6 1/2"	3240/50	3'-0 3/4"	4'-6 1/2"
2062/68	2'-0 3/4"	6'-0 1/2"	3250/56	3'-0 3/4"	5'-0 1/2"
2438/44	2'-4 3/4"	4'-0 1/2"	3256/62	3'-0 3/4"	5'-6 1/2"
2444/50	2'-4 3/4"	4'-6 1/2"	3262/68	3'-0 3/4"	6'-0 1/2"
2450/56	2'-4 3/4"	5'-0 1/2"			

CLAD CASEMENT TWIN SEG-TOP




UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
1638/44-2	3'-4 3/4"	4'-0 1/2"	2456/62-2	4'-8 3/4"	5'-6 1/2"
1644/50-2	3'-4 3/4"	4'-6 1/2"	2462/68-2	4'-8 3/4"	6'-0 1/2"
1650/56-2	3'-4 3/4"	5'-0 1/2"	2638/44-2	5'-0 3/4"	4'-0 1/2"
1656/62-2	3'-4 3/4"	5'-6 1/2"	2644/50-2	5'-0 3/4"	4'-6 1/2"
1662/68-2	3'-4 3/4"	6'-0 1/2"	2650/56-2	5'-0 3/4"	5'-0 1/2"
2038/44-2	4'-0 3/4"	4'-0 1/2"	2656/62-2	5'-0 3/4"	5'-6 1/2"
2044/50-2	4'-0 3/4"	4'-6 1/2"	2662/68-2	5'-0 3/4"	6'-0 1/2"
2050/56-2	4'-0 3/4"	5'-0 1/2"	3238/44-2	6'-0 3/4"	4'-0 1/2"
2056/62-2	4'-0 3/4"	5'-6 1/2"	3240/50-2	6'-0 3/4"	4'-6 1/2"
2062/68-2	4'-0 3/4"	6'-0 1/2"	3250/56-2	6'-0 3/4"	5'-0 1/2"
2438/44-2	4'-8 3/4"	4'-0 1/2"	3256/62-2	6'-0 3/4"	5'-6 1/2"
2444/50-2	4'-8 3/4"	4'-6 1/2"	3262/68-2	6'-0 3/4"	6'-0 1/2"
2450/56-2	4'-8 3/4"	5'-0 1/2"			

CLAD CASEMENT TRIPLE SEG-TOP




UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
1638/44-3	5'-0 3/4"	4'-0 1/2"	2456/62-3	7'-0 3/4"	5'-6 1/2"
1644/50-3	5'-0 3/4"	4'-6 1/2"	2462/68-3	7'-0 3/4"	6'-0 1/2"
1650/56-3	5'-0 3/4"	5'-0 1/2"	2638/44-3	7'-6 3/4"	4'-0 1/2"
1656/62-3	5'-0 3/4"	5'-6 1/2"	2644/50-3	7'-6 3/4"	4'-6 1/2"
1662/68-3	5'-0 3/4"	6'-0 1/2"	2650/56-3	7'-6 3/4"	5'-0 1/2"
2038/44-3	6'-0 3/4"	4'-0 1/2"	2656/62-3	7'-6 3/4"	5'-6 1/2"
2044/50-3	6'-0 3/4"	4'-6 1/2"	2662/68-3	7'-6 3/4"	6'-0 1/2"
2050/56-3	6'-0 3/4"	5'-0 1/2"	3238/44-3	9'-0 3/4"	4'-0 1/2"
2056/62-3	6'-0 3/4"	5'-6 1/2"	3240/50-3	9'-0 3/4"	4'-6 1/2"
2062/68-3	6'-0 3/4"	6'-0 1/2"	3250/56-3	9'-0 3/4"	5'-0 1/2"
2438/44-3	7'-0 3/4"	4'-0 1/2"	3256/62-3	9'-0 3/4"	5'-6 1/2"
2444/50-3	7'-0 3/4"	4'-6 1/2"	3262/68-3	9'-0 3/4"	6'-0 1/2"
2450/56-3	7'-0 3/4"	5'-0 1/2"			

CLAD CASEMENT QUAD SEG-TOP



UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
1638/44-4	6'-8 3/4"	4'-0 1/2"	2456/62-4	9'-4 3/4"	5'-6 1/2"
1644/50-4	6'-8 3/4"	4'-6 1/2"	2462/68-4	9'-4 3/4"	6'-0 1/2"
1650/56-4	6'-8 3/4"	5'-0 1/2"	2638/44-4	10'-0 3/4"	4'-0 1/2"
1656/62-4	6'-8 3/4"	5'-6 1/2"	2644/50-4	10'-0 3/4"	4'-6 1/2"
1662/68-4	6'-8 3/4"	6'-0 1/2"	2650/56-4	10'-0 3/4"	5'-0 1/2"
2038/44-4	8'-0 3/4"	4'-0 1/2"	2656/62-4	10'-0 3/4"	5'-6 1/2"
2044/50-4	8'-0 3/4"	4'-6 1/2"	2662/68-4	10'-0 3/4"	6'-0 1/2"
2050/56-4	8'-0 3/4"	5'-0 1/2"	3238/44-4	12'-0 3/4"	4'-0 1/2"
2056/62-4	8'-0 3/4"	5'-6 1/2"	3240/50-4	12'-0 3/4"	4'-6 1/2"
2062/68-4	8'-0 3/4"	6'-0 1/2"	3250/56-4	12'-0 3/4"	5'-0 1/2"
2438/44-4	9'-4 3/4"	4'-0 1/2"	3256/62-4	12'-0 3/4"	5'-6 1/2"
2444/50-4	9'-4 3/4"	4'-6 1/2"	3262/68-4	12'-0 3/4"	6'-0 1/2"
2450/56-4	9'-4 3/4"	5'-0 1/2"			

CLAD CASEMENT TWIN ROUND TOP


UNIT
CODE

WIDTH

HEIGHT


2020/44-2	4'-0 3/4"	4'-0 1/2"
2026/50-2	4'-0 3/4"	4'-6 1/2"
2032/56-2	4'-0 3/4"	5'-0 1/2"
2038/62-2	4'-0 3/4"	5'-6 1/2"
2416/44-2	4'-8 3/4"	4'-0 1/2"
2422/50-2	4'-8 3/4"	4'-6 1/2"
2428/56-2	4'-8 3/4"	5'-0 1/2"
2434/62-2	4'-8 3/4"	5'-6 1/2"
2614/44-2	5'-0 3/4"	4'-0 1/2"
2620/50-2	5'-0 3/4"	4'-6 1/2"
2626/56-2	5'-0 3/4"	5'-0 1/2"
2632/62-2	5'-0 3/4"	5'-6 1/2"

CLAD CASEMENT TRANSOM



UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
1408	1'-6 3/4"	1'-0 1/2"	3808	3'-6 3/4"	1'-0 1/2"
1410		1'-2 1/2"	3810		1'-2 1/2"
1412		1'-4 1/2"	3812		1'-4 1/2"
1414		1'-6 1/2"	3814		1'-6 1/2"
1416		1'-8 1/2"	3816		1'-8 1/2"
			3820		2'-0 1/2"
1608	1'-8 3/4"	1'-0 1/2"	3824		2'-4 1/2"
1610		1'-2 1/2"	3826		2'-6 1/2"
1612		1'-4 1/2"			
1614		1'-6 1/2"	4408	4'-0 3/4"	1'-0 1/2"
1616		1'-8 1/2"	4410		1'-2 1/2"
			4412		1'-4 1/2"
2008	2'-0 3/4"	1'-0 1/2"	4414		1'-6 1/2"
2010		1'-2 1/2"	4416		1'-8 1/2"
2012		1'-4 1/2"	4420		2'-0 1/2"
2014		1'-6 1/2"	4424		2'-4 1/2"
2016		1'-8 1/2"	4426		2'-6 1/2"
2020		2'-0 1/2"			
			5008	4'-6 3/4"	1'-0 1/2"
2408	2'-4 3/4"	1'-0 1/2"	5010		1'-2 1/2"
2410		1'-2 1/2"	5012		1'-4 1/2"
2412		1'-4 1/2"	5014		1'-6 1/2"
2414		1'-6 1/2"	5016		1'-8 1/2"
2416		1'-8 1/2"	5020		2'-0 1/2"
2420		2'-0 1/2"	5024		2'-4 3/4"
2424		2'-4 1/2"	5026		2'-6 3/4"
2608	2'-6 3/4"	1'-0 1/2"	5608	5'-0 3/4"	1'-0 1/2"
2610		1'-2 1/2"	5610		1'-2 1/2"
2612		1'-4 1/2"	5612		1'-4 1/2"
2614		1'-6 1/2"	5614		1'-6 1/2"
2616		1'-8 1/2"	5616		1'-8 1/2"
2620		2'-0 1/2"	5620		2'-0 1/2"
2624		2'-4 1/2"	5624		2'-4 1/2"
2626		2'-6 1/2"	5626		2'-6 1/2"
3208	3'-0 3/4"	1'-0 1/2"	6808	6'-0 3/4"	1'-0 1/2"
3210		1'-2 1/2"	6810		1'-2 1/2"
3212		1'-4 1/2"	6812		1'-4 1/2"
3214		1'-6 1/2"	6814		1'-6 1/2"
3216		1'-8 1/2"	6816		1'-8 1/2"
3220		2'-0 1/2"	6820		2'-0 1/2"
3224		2'-4 1/2"	6824		2'-4 1/2"
3226		2'-6 1/2"	6826		2'-6 1/2"

CLAD AWNING



UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
2014	2'-0 3/4"	1'-6 1/2"	3814	3'-6 3/4"	1'-6 1/2"
2016		1'-8 1/2"	3816		1'-8 1/2"
2020		2'-0 1/2"	3820		2'-0 1/2"
2024		2'-4 1/2"	3824		2'-4 1/2"
2026		2'-6 1/2"	3826		2'-6 1/2"
2032		3'-0 1/2"	3832		3'-0 1/2"
2038		3'-6 1/2"	3838		3'-6 1/2"
2044		4'-0 1/2"	3844		4'-0 1/2"
2050		4'-6 1/2"	3850		4'-6 1/2"
2056		5'-0 1/2"	3856		5'-0 1/2"
2414	2'-4 3/4"	1'-6 1/2"	4414	4'-0 3/4"	1'-6 1/2"
2416		1'-8 1/2"	4416		1'-8 1/2"
2420		2'-0 1/2"	4420		2'-0 1/2"
2424		2'-4 1/2"	4424		2'-4 1/2"
2426		2'-6 1/2"	4426		2'-6 1/2"
2432		3'-0 1/2"	4432		3'-0 1/2"
2438		3'-6 1/2"	4438		3'-6 1/2"
2444		4'-0 1/2"	4444		4'-0 1/2"
2450		4'-6 1/2"	4450		4'-6 1/2"
2456		5'-0 1/2"	4456		5'-0 1/2"
2614	2'-6 3/4"	1'-6 1/2"	5014	4'-6 3/4"	1'-6 1/2"
2616		1'-8 1/2"	5016		1'-8 1/2"
2620		2'-0 1/2"	5020		2'-0 1/2"
2624		2'-4 1/2"	5024		2'-4 1/2"
2626		2'-6 1/2"	5026		2'-6 1/2"
2632		3'-0 1/2"	5032		3'-0 1/2"
2638		3'-6 1/2"	5038		3'-6 1/2"
2644		4'-0 1/2"	5044		4'-0 1/2"
2650		4'-6 1/2"	5050		4'-6 1/2"
2656		5'-0 1/2"	5056		5'-0 1/2"
3214	3'-0 3/4"	1'-6 1/2"	5614	5'-0 3/4"	1'-6 1/2"
3216		1'-8 1/2"	5616		1'-8 1/2"
3220		2'-0 1/2"	5620		2'-0 1/2"
3224		2'-4 1/2"	5624		2'-4 1/2"
3226		2'-6 1/2"	5626		2'-6 1/2"
3232		3'-0 1/2"	5632		3'-0 1/2"
3238		3'-6 1/2"	5638		3'-6 1/2"
3244		4'-0 1/2"	5644		4'-0 1/2"
3250		4'-6 1/2"	5650		4'-6 1/2"
3256		5'-0 1/2"	5656		5'-0 1/2"

CLAD DOUBLE HUNG



UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT		
1614-1	1'-10 1/8"	3'-1 1/4"	2834-1	3'-2 1/8"	6'-5 1/4"		
1616-1		3'-5 1/4"	2836-1		6'-9 1/4"		
1620-1		4'-1 1/4"	28/2436-1		Cottage	5'-9 1/4"	
1622-1		4'-5 1/4"	28/3624-1		Oriel	5'-9 1/4"	
1624-1		4'-9 1/4"	3214-1		3'-1 1/4"		
1626-1		5'-1 1/4"	3216-1		3'-5 1/4"		
1628-1		5'-5 1/4"	3220-1		4'-1 1/4"		
1630-1		5'-9 1/4"	3222-1		4'-5 1/4"		
1632-1		6'-1 1/4"	3224-1		4'-9 1/4"		
1634-1		6'-5 1/4"	3226-1		5'-1 1/4"		
1636-1		6'-9 1/4"	3228-1		5'-5 1/4"		
16/2436-1		Cottage	3230-1		5'-9 1/4"		
16/3624-1		Oriel	3232-1		6'-1 1/4"		
2014-1		2'-2 1/8"	3'-1 1/4"		3234-1	6'-5 1/4"	
2016-1			3'-5 1/4"		3236-1	6'-9 1/4"	
2020-1			4'-1 1/4"		32/2436-1	Cottage	5'-9 1/4"
2022-1	4'-5 1/4"		32/3624-1	Oriel	5'-9 1/4"		
2024-1	4'-9 1/4"		3614-1	3'-6 1/8"	3'-1 1/4"		
2026-1	5'-1 1/4"		3616-1		3'-5 1/4"		
2028-1	5'-5 1/4"		3620-1		4'-1 1/4"		
2030-1	5'-9 1/4"		3622-1		4'-5 1/4"		
2032-1	6'-1 1/4"		3624-1		4'-9 1/4"		
2034-1	6'-5 1/4"		3626-1		5'-1 1/4"		
2036-1	6'-9 1/4"		3628-1		5'-5 1/4"		
20/2436-1	Cottage		3630-1		5'-9 1/4"		
20/3624-1	Oriel		3632-1		6'-1 1/4"		
2414-1	2'-6 1/8"		3'-1 1/4"		3634-1	6'-5 1/4"	
2416-1			3'-5 1/4"		3636-1	6'-9 1/4"	
2420-1			4'-1 1/4"		36/2436-1	Cottage	5'-9 1/4"
2422-1		4'-5 1/4"	36/3624-1		Oriel	5'-9 1/4"	
2424-1		4'-9 1/4"	4014-1		3'-10 1/8"	3'-1 1/4"	
2426-1		5'-1 1/4"	4016-1			3'-5 1/4"	
2428-1		5'-5 1/4"	4020-1			4'-1 1/4"	
2430-1		5'-9 1/4"	4022-1	4'-5 1/4"			
2432-1		6'-1 1/4"	4024-1	4'-9 1/4"			
2434-1		6'-5 1/4"	4026-1	5'-1 1/4"			
2436-1		6'-9 1/4"	4028-1	5'-5 1/4"			
24/2436-1		Cottage	4032-1	6'-1 1/4"			
24/3624-1		Oriel	4034-1	6'-5 1/4"			
2814-1		2'-10 1/8"	3'-1 1/4"	4036-1		6'-9 1/4"	
2816-1			3'-5 1/4"	40/2436-1		Cottage	5'-9 1/4"
2820-1			4'-1 1/4"	40/3624-1		Oriel	5'-9 1/4"
2822-1	4'-5 1/4"						
2824-1	4'-9 1/4"						
2826-1	5'-1 1/4"						
2828-1	5'-5 1/4"						
2830-1	5'-9 1/4"						
2832-1	6'-1 1/4"						

PICTURES WITH FLANKERS

ADD TOGETHER FRAME WIDTHS FOR INDIVIDUAL UNITS + 3/4".
HEIGHTS REMAIN AS SHOWN.

CLAD DOUBLE HUNG – TWIN UNITS




UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
1614-2	3'-7 1/2"	3'-1 1/4"	2830-2		5'-9 1/4"
1616-2		3'-5 1/4"	2832-2		6'-1 1/4"
1620-2		4'-1 1/4"	2834-2		6'-5 1/4"
1622-2		4'-5 1/4"	2836-2		6'-9 1/4"
1624-2		4'-9 1/4"	28/2436-2	Cottage	5'-9 1/4"
1626-2		5'-1 1/4"	28/3624-2	Oriel	5'-9 1/4"
1628-2		5'-5 1/4"			
1630-2		5'-9 1/4"	3214-2	6'-3 1/2"	3'-1 1/4"
1632-2		6'-1 1/4"	3216-2		3'-5 1/4"
1634-2		6'-5 1/4"	3220-2		4'-1 1/4"
1636-2		6'-9 1/4"	3222-2		4'-5 1/4"
16/2436-2	Cottage	5'-9 1/4"	3224-2		4'-9 1/4"
16/3624-2	Oriel	5'-9 1/4"	3226-2		5'-1 1/4"
			3228-2		5'-5 1/4"
2014-2	4'-3 1/2"	3'-1 1/4"	3230-2		5'-9 1/4"
2016-2		3'-5 1/4"	3232-2		6'-1 1/4"
2020-2		4'-1 1/4"	3234-2		6'-5 1/4"
2022-2		4'-5 1/4"	3236-2		6'-9 1/4"
2024-2		4'-9 1/4"	32/2436-2	Cottage	5'-9 1/4"
2026-2		5'-1 1/4"	32/3624-2	Oriel	5'-9 1/4"
2028-2		5'-5 1/4"			
2030-2		5'-9 1/4"	3614-2	6'-11 1/2"	3'-1 1/4"
2032-2		6'-1 1/4"	3616-2		3'-5 1/4"
2034-2		6'-5 1/4"	3620-2		4'-1 1/4"
2036-2		6'-9 1/4"	3622-2		4'-5 1/4"
20/2436-2	Cottage	5'-9 1/4"	3624-2		4'-9 1/4"
20/3624-2	Oriel	5'-9 1/4"	3626-2		5'-1 1/4"
			3628-2		5'-5 1/4"
2414-2	4'-11 1/2"	3'-1 1/4"	3630-2		5'-9 1/4"
2416-2		3'-5 1/4"	3632-2		6'-1 1/4"
2420-2		4'-1 1/4"	3634-2		6'-5 1/4"
2422-2		4'-5 1/4"	3636-2		6'-9 1/4"
2424-2		4'-9 1/4"	36/2436-2	Cottage	5'-9 1/4"
2426-2		5'-1 1/4"	36/3624-2	Oriel	5'-9 1/4"
2428-2		5'-5 1/4"			
2430-2		5'-9 1/4"	4014-2	7'-7 1/2"	3'-1 1/4"
2432-2		6'-1 1/4"	4016-2		3'-5 1/4"
2434-2		6'-5 1/4"	4020-2		4'-1 1/4"
2436-2		6'-9 1/4"	4022-2		4'-5 1/4"
24/2436-2	Cottage	5'-9 1/4"	4024-2		4'-9 1/4"
24/3624-2	Oriel	5'-9 1/4"	4026-2		5'-1 1/4"
			4028-2		5'-5 1/4"
2814-2	5'-7 1/2"	3'-1 1/4"	4030-2		5'-9 1/4"
2816-2		3'-5 1/4"	4032-2		6'-1 1/4"
2820-2		4'-1 1/4"	4034-2		6'-5 1/4"
2822-2		4'-5 1/4"	4036-2		6'-9 1/4"
2824-2		4'-9 1/4"	40/2436-2	Cottage	5'-9 1/4"
2826-2		5'-1 1/4"	40/3624-2	Oriel	5'-9 1/4"
2828-2		5'-5 1/4"			

CLAD DOUBLE HUNG – TRIPLE UNITS



UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
1614-3	5'-4 7/8"	3'-1 1/4"	2834-3		6'-5 1/4"
1616-3		3'-5 1/4"	2836-3		6'-9 1/4"
1620-3		4'-1 1/4"	28/2436-3	Cottage Oriel	5'-9 1/4"
1622-3		4'-5 1/4"	28/3624-3		5'-9 1/4"
1624-3		4'-9 1/4"			
1626-3		5'-1 1/4"	3214-3	9'-4 7/8"	3'-1 1/4"
1628-3		5'-5 1/4"	3216-3		3'-5 1/4"
1630-3		5'-9 1/4"	3220-3		4'-1 1/4"
1632-3		6'-1 1/4"	3222-3		4'-5 1/4"
1634-3		6'-5 1/4"	3224-3		4'-9 1/4"
1636-3		6'-9 1/4"	3226-3		5'-1 1/4"
16/2436-3	Cottage Oriel	5'-9 1/4"	3228-3		5'-5 1/4"
16/3624-3		5'-9 1/4"	3230-3		5'-9 1/4"
			3232-3		6'-1 1/4"
2014-3	6'-4 7/8"	3'-1 1/4"	3234-3		6'-5 1/4"
2016-3		3'-5 1/4"	3236-3		6'-9 1/4"
2020-3		4'-1 1/4"	32/2436-3	Cottage Oriel	5'-9 1/4"
2022-3		4'-5 1/4"	32/3624-3		5'-9 1/4"
2024-3		4'-9 1/4"			
2026-3		5'-1 1/4"	3614-3	10'-4 7/8"	3'-1 1/4"
2028-3		5'-5 1/4"	3616-3		3'-5 1/4"
2030-3		5'-9 1/4"	3620-3		4'-1 1/4"
2032-3		6'-1 1/4"	3622-3		4'-5 1/4"
2034-3		6'-5 1/4"	3624-3		4'-9 1/4"
2036-3		6'-9 1/4"	3626-3		5'-1 1/4"
20/2436-3	Cottage Oriel	5'-9 1/4"	3628-3		5'-5 1/4"
20/3624-3		5'-9 1/4"	3630-3		5'-9 1/4"
			3632-3		6'-1 1/4"
2414-3	7'-4 7/8"	3'-1 1/4"	3634-3		6'-5 1/4"
2416-3		3'-5 1/4"	3636-3		6'-9 1/4"
2420-3		4'-1 1/4"	36/2436-3	Cottage Oriel	5'-9 1/4"
2422-3		4'-5 1/4"	36/3624-3		5'-9 1/4"
2424-3		4'-9 1/4"			
2426-3		5'-1 1/4"	4014-3	11'-4 7/8"	3'-1 1/4"
2428-3		5'-5 1/4"	4016-3		3'-5 1/4"
2430-3		5'-9 1/4"	4020-3		4'-1 1/4"
2432-3		6'-1 1/4"	4022-3		4'-5 1/4"
2434-3		6'-5 1/4"	4024-3		4'-9 1/4"
2436-3		6'-9 1/4"	4026-3		5'-1 1/4"
24/2436-3	Cottage Oriel	5'-9 1/4"	4028-3		5'-5 1/4"
24/3624-3		5'-9 1/4"	4030-3		5'-9 1/4"
			4032-3		6'-1 1/4"
2814-3	8'-4 7/8"	3'-1 1/4"	4034-3		6'-5 1/4"
2816-3		3'-5 1/4"	4036-3		6'-9 1/4"
2820-3		4'-1 1/4"	40/2436-3	Cottage Oriel	5'-9 1/4"
2822-3		4'-5 1/4"	40/3624-3		5'-9 1/4"
2824-3		4'-9 1/4"			
2826-3		5'-1 1/4"			
2828-3		5'-5 1/4"			
2830-3		5'-9 1/4"			
2832-3		6'-1 1/4"			

CLAD DOUBLE HUNG – PICTURE



UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
0842	1'-2 1/8"	4'-1 1/4"	2842	2'-10 1/8"	4'-1 1/4"
0846		4'-5 1/4"	2846		4'-5 1/4"
0850		4'-9 1/4"	2850		4'-9 1/4"
0854		5'-1 1/4"	2854		5'-1 1/4"
0858		5'-5 1/4"	2858		5'-5 1/4"
0862		5'-9 1/4"	2862		5'-9 1/4"
0866		6'-1 1/4"	2866		6'-1 1/4"
0870		6'-5 1/4"	2870		6'-5 1/4"
1042	1'-4 1/8"	4'-1 1/4"	3242	3'-2 1/8"	4'-1 1/4"
1046		4'-5 1/4"	3246		4'-5 1/4"
1050		4'-9 1/4"	3250		4'-9 1/4"
1054		5'-1 1/4"	3254		5'-1 1/4"
1058		5'-5 1/4"	3258		5'-5 1/4"
1062		5'-9 1/4"	3262		5'-9 1/4"
1066		6'-1 1/4"	3266		6'-1 1/4"
1070		6'-5 1/4"	3270		6'-5 1/4"
1242	1'-6 1/8"	4'-1 1/4"	4442	4'-2 1/8"	4'-1 1/4"
1246		4'-5 1/4"	4446		4'-5 1/4"
1250		4'-9 1/4"	4450		4'-9 1/4"
1254		5'-1 1/4"	4454		5'-1 1/4"
1258		5'-5 1/4"	4458		5'-5 1/4"
1262		5'-9 1/4"	4462		5'-9 1/4"
1266		6'-1 1/4"	4466		6'-1 1/4"
1270		6'-5 1/4"	4470		6'-5 1/4"
2042	2'-2 1/8"	4'-1 1/4"	5642	5'-2 1/8"	4'-1 1/4"
2046		4'-5 1/4"	5646		4'-5 1/4"
2050		4'-9 1/4"	5650		4'-9 1/4"
2054		5'-1 1/4"	5654		5'-1 1/4"
2058		5'-5 1/4"	5658		5'-5 1/4"
2062		5'-9 1/4"	5662		5'-9 1/4"
2066		6'-1 1/4"	5666		6'-1 1/4"
2070		6'-5 1/4"	5670		6'-5 1/4"
2442	2'-6 1/8"	4'-1 1/4"	6842	6'-2 1/8"	4'-1 1/4"
2446		4'-5 1/4"	6846		4'-5 1/4"
2450		4'-9 1/4"	6850		4'-9 1/4"
2454		5'-1 1/4"	6854		5'-1 1/4"
2058		5'-5 1/4"	6858		5'-5 1/4"
2462		5'-9 1/4"	6862		5'-9 1/4"
2466		6'-1 1/4"	6866		6'-1 1/4"
2470		6'-5 1/4"	6870		6'-5 1/4"

CLAD (IN-SASH) DOUBLE HUNG TRANSOM

UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
1608	1'-10 1/8"	1'-0 1/2"	3608	3'-6 1/8"	1'-0 1/2"
1610		1'-2 1/2"	3610		1'-2 1/2"
1612		1'-4 1/2"	3612		1'-4 1/2"
1614		1'-6 1/2"	3614		1'-6 1/2"
1620		2'-0 1/2"	3620		2'-0 1/2"
1626		2'-6 1/2"	3626		2'-6 1/2"
1632		3'-0 1/2"	3632		3'-0 1/2"
2008	2'-2 1/8"	1'-0 1/2"	4008	3'-10 1/8"	1'-0 1/2"
2010		1'-2 1/2"	4010		1'-2 1/2"
2012		1'-4 1/2"	4012		1'-4 1/2"
2014		1'-6 1/2"	4014		1'-6 1/2"
2020		2'-0 1/2"	4020		2'-0 1/2"
2026		2'-6 1/2"	4026		2'-6 1/2"
2032		3'-0 1/2"	4032		3'-0 1/2"
2408	2'-6 1/8"	1'-0 1/2"	4408	4'-2 1/8"	1'-0 1/2"
2410		1'-2 1/2"	4410		1'-2 1/2"
2412		1'-4 1/2"	4412		1'-4 1/2"
2414		1'-6 1/2"	4414		1'-6 1/2"
2420		2'-0 1/2"	4420		2'-0 1/2"
2426		2'-6 1/2"	4426		2'-6 1/2"
2432		3'-0 1/2"	4432		3'-0 1/2"
2808	2'-10 1/8"	1'-0 1/2"	5608	5'-2 1/8"	1'-0 1/2"
2810		1'-2 1/2"	5610		1'-2 1/2"
2812		1'-4 1/2"	5612		1'-4 1/2"
2814		1'-6 1/2"	5614		1'-6 1/2"
2820		2'-0 1/2"	5620		2'-0 1/2"
2826		2'-6 1/2"	5626		2'-6 1/2"
2832		3'-0 1/2"	5632		3'-0 1/2"
3208	3'-2 1/8"	1'-0 1/2"			
3210		1'-2 1/2"			
3212		1'-4 1/2"			
3214		1'-6 1/2"			
3220		2'-0 1/2"			
3226		2'-6 1/2"			
3232		3'-0 1/2"			

CLAD DOUBLE HUNG BAY UNITS

Standard Bays

CALL-OUT WIDTHS	ROUGH OPENING	30DEG	ROUGH OPENING	45DEG
20-44-20	8'-1 7/8"	14"	7'-6 1/2"	20 1/4"
20-56-20	9'-1 7/8"		8'-6 1/2"	
20-68-20	10'-1 7/8"		9'-6 1/2"	
24-44-24	8'-8 3/4"	16"	8'-0 1/8"	23 1/8"
24-56-24	9'-8 3/4"		9'-0 1/8"	
24-68-24	10'-8 3/4"		10'-0 1/8"	
28-44-28	9'-3 3/4"	18"	8'-5 3/4"	25 15/16"
28-56-28	10'-3 3/4"		9'-5 3/4"	
28-68-28	11'-3 3/4"		10'-5 3/4"	
32-44-32	9'-10 5/8"	20"	8'-11 1/2"	28 3/4"
32-56-32	10'-10 5/8"		9'-11 1/2"	
32-68-32	11'-10 5/8"		10'-11 1/2"	

CALL-OUT HEIGHTS	ROUGH OPENING
24/50	4'-10"
28/58	5'-6"
32/66	6'-2"

CLAD DOUBLE HUNG BAY UNITS
Non-Standard Bays

WIDTHS	30DEG	45DEG
16" FLANKER : CENTER GLASS +	48 1/4"	44"
20" FLANKER : CENTER GLASS +	55 1/4"	49 5/8"
24" FLANKER : CENTER GLASS +	62 1/8"	55 1/4"
28" FLANKER : CENTER GLASS +	69 1/8"	60 7/8"
32" FLANKER : CENTER GLASS +	76"	66 5/8"
36" FLANKER : CENTER GLASS +	83"	72 1/4"

HEIGHTS

WALK OUT OPTION – STANDARD ROUGH OPENING

HEAD & SEAT BOARD OPTION – STANDARD R.O. + 1 3/4"

CLAD SINGLE HUNG ORIEL

UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
16/4628	1'-10 1/8"	7'-0"	24/5228		7'-6"
16/5228		7'-6"	24/5828		8'-0"
16/5828		8'-0"	28/4628	2'-10 1/8"	7'-0"
20/4628	2'-2 1/8"	7'-0"	28/5228		7'-6"
20/5228		7'-6"	28/5828		8'-0"
20/5828		8'-0"	32/4628	3'-2 1/8"	7'-0"
24/4628	2'-6 1/8"	7'-0"	32/5228		7'-6"
			32/5828		8'-0"

CLAD SINGLE HUNG SEG-TOP

UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
2422	2'-6 1/8"	4'-9 1/16"	2830		6'-1 1/16"
2424		5'-1 1/16"	2832		6'-5 1/16"
2426		5'-5 1/16"	2834		6'-9 1/16"
2428		5'-9 1/16"	2836		7'-1 1/16"
2430		6'-1 1/16"	3222	3'-2 1/8"	4'-9 1/16"
2432		6'-5 1/16"	3224		5'-1 1/16"
2434		6'-9 1/16"	3226		5'-5 1/16"
2436		7'-1 1/16"	3228		5'-9 1/16"
2822	2'-10 1/8"	4'-9 1/16"	3230		6'-1 1/16"
2824		5'-1 1/16"	3232		6'-5 1/16"
2826		5'-5 1/16"	3234		6'-9 1/16"
2828		5'-9 1/16"	3236		7'-1 1/16"

CLAD SINGLE HUNG ROUND TOP


UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
2422	2'-6 1/8"	5'-5 3/8"	2830	2'-10 1/8"	6'-11 3/8"
2424		5'-9 3/8"	2832		7'-3 3/8"
2426		6'-1 3/8"	2834		7'-7 3/8"
2428		6'-5 3/8"	2836		7'-11 3/8"
2430		6'-9 3/8"	3222	3'-2 1/8"	5'-9 3/8"
2432		7'-1 3/8"	3224		6'-1 3/8"
2434		7'-5 3/8"	3226		6'-5 3/8"
2436		7'-9 3/8"	3228		6'-9 3/8"
2822	2'-10 1/8"	5'-7 3/8"	3230		7'-1 3/8"
2824		5'-11 3/8"	3232		7'-5 3/8"
2826		6'-3 3/8"	3234		7'-9 3/8"
2828		6'-7 3/8"	3236		8'-1 3/8"

CLAD GLIDE-BY





UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
1616	3'-3 15/16"	1'-11 1/4"	2616	4'-11 15/16"	1'-11 1/4"
1620		2'-3 1/4"	2620		2'-3 1/4"
1628		2'-11 1/4"	2628		2'-11 1/4"
1632		3'-3 1/4"	2632		3'-3 1/4"
1636		3'-7 1/4"	2636		3'-7 1/4"
1640		3'-11 1/4"	2640		3'-11 1/4"
1648		4'-7 1/4"	2648		4'-7 1/4"
1654		5'-1 1/4"	2654		5'-1 1/4"
2016	3'-11 15/16"	1'-11 1/4"	2816	5'-3 15/16"	1'-11 1/4"
2020		2'-3 1/4"	2820		2'-3 1/4"
2028		2'-11 1/4"	2828		2'-11 1/4"
2032		3'-3 1/4"	2832		3'-3 1/4"
2036		3'-7 1/4"	2836		3'-7 1/4"
2040		3'-11 1/4"	2840		3'-11 1/4"
2048		4'-7 1/4"	2848		4'-7 1/4"
2054		5'-1 1/4"	2854		5'-1 1/4"
2416	4'-7 15/16"	1'-11 1/4"	3216	5'-11 15/16"	1'-11 1/4"
2420		2'-3 1/4"	3220		2'-3 1/4"
2428		2'-11 1/4"	3228		2'-11 1/4"
2432		3'-3 1/4"	3232		3'-3 1/4"
2436		3'-7 1/4"	3236		3'-7 1/4"
2440		3'-11 1/4"	3240		3'-11 1/4"
2448		4'-7 1/4"	3248		4'-7 1/4"
2454		5'-1 1/4"	3254		5'-1 1/4"

CLAD GLIDE-BY TRIPLES



UNIT CODE	WIDTH	HEIGHT
16-32-1628	6'-1 7/16"	2'-11 1/4"
16-32-1640		3'-11 1/4"
16-32-1648		4'-7 1/4"
16-32-1654		5'-1 1/4"
20-40-2028	7'-5 7/16"	2'-11 1/4"
20-40-2040		3'-11 1/4"
20-40-2048		4'-7 1/4"
20-40-2054		5'-1 1/4"
28-28-2828	7'-9 7/16"	2'-11 1/4"
28-28-2840		3'-11 1/4"
28-28-2848		4'-7 1/4"
28-28-2854		5'-1 1/4"
24-48-2428	8'-9 7/16"	2'-11 1/4"
24-48-2440		3'-11 1/4"
24-48-2448		4'-7 1/4"
24-48-2454		5'-1 1/4"

CLAD NARROW SLIDER



UNIT CODE

WIDTH

HEIGHT

2-6	2'-8 3/4"	6'-8"	6'-11"	8'-0"
5-0	4'-11 3/4"	6'-8"	6'-11"	8'-0"
7-6	7'-7 3/4"	6'-8"	6'-11"	8'-0"
10-0 QUAD	9'-8 9/16"	6'-8"	6'-11"	8'-0"
3-0	3'-2 3/4"	6'-8"	6'-11"	8'-0"
6-0	5'-11 3/4"	6'-8"	6'-11"	8'-0"
9-0	9'-1 3/4"	6'-8"	6'-11"	8'-0"
12-0 QUAD	11'-8 9/16"	6'-8"	6'-11"	8'-0"
4-0	4'-2 3/4"	6'-8"	6'-11"	8'-0"
8-0	7'-11 3/4"	6'-8"	6'-11"	8'-0"
12-0	12'-1 3/4"	6'-8"	6'-11"	8'-0"
16-0 QUAD	15'-8 9/16"	6'-8"	6'-11"	8'-0"

CLAD FRENCH SLIDER

UNIT CODE

WIDTH

HEIGHT

2-6	2'-8 3/4"	6'-8"	6'-11"	8'-0"	9'-0"
5-0	4'-11 3/4"	6'-8"	6'-11"	8'-0"	9'-0"
7-6	7'-7 3/4"	6'-8"	6'-11"	8'-0"	N/A
10-0 QUAD	9'-8 9/16"	6'-8"	6'-11"	8'-0"	N/A
3-0	3'-2 3/4"	6'-8"	6'-11"	8'-0"	9'-0"
6-0	5'-11 3/4"	6'-8"	6'-11"	8'-0"	9'-0"
9-0	9'-1 3/4"	6'-8"	6'-11"	8'-0"	N/A
12-0 QUAD	11'-8 9/16"	6'-8"	6'-11"	8'-0"	N/A
4-0	4'-2 3/4"	6'-8"	6'-11"	8'-0"	N/A
8-0	7'-11 3/4"	6'-8"	6'-11"	8'-0"	N/A
12-0	12'-1 3/4"	6'-8"	6'-11"	8'-0"	N/A
16-0 QUAD	15'-8 9/16"	6'-8"	6'-11"	8'-0"	N/A

CLAD SLIDER SIDELIGHT


UNIT CODE

WIDTH

HEIGHT

12	1'-3"	6'-8"	6'-11"	8'-0"	9'-0"
14	1'-5"	6'-8"	6'-11"	8'-0"	9'-0"
16	1'-7"	6'-8"	6'-11"	8'-0"	9'-0"

CLAD SLIDING PATIO DOOR ELLIPSE



UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
5018	5'-0"	1'-6 1/2"	6018	6'-0"	1'-6 1/2"

CLAD SLIDING PATIO HALF ROUND

UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
5-0	5'-0"	2'-6"	6-0	6'-0"	3'-0"

PATIO DOOR DIRECT SET TRANSOM

UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
2611	2'-8 3/4"	1'-1 1/2"	8011	7'-11 3/4"	1'-1 1/2"
2614		1'-4 1/2"	8014		1'-4 1/2"
2620		2'-0 1/2"	8020		2'-0 1/2"
3011	3'-2 3/4"	1'-1 1/2"	5011-2	4'-11 3/4"	1'-1 1/2"
3014		1'-4 1/2"	5014-2		1'-4 1/2"
3020		2'-0 1/2"	5020-2		2'-0 1/2"
4011	4'-2 3/4"	1'-1 1/2"	6011-2	5'-11 3/4"	1'-1 1/2"
4014		1'-4 1/2"	6014-2		1'-4 1/2"
4020		2'-0 1/2"	6020-2		2'-0 1/2"
5011	4'-11 3/4"	1'-1 1/2"	8011-2	7'-11 3/4"	1'-1 1/2"
5014		1'-4 1/2"	8014-2		1'-4 1/2"
5020		2'-0 1/2"	8020-2		2'-0 1/2"
6011	5'-11 3/4"	1'-1 1/2"			
6014		1'-4 1/2"			
6020		2'-0 1/2"			


CLAD IN-SWING PATIO DOOR

UNIT CODE	WIDTH	6'-8"	6'-10"	8'-0"	9'-0"
2-6	2'-7"	6'-8"	6'-10 7/8"	7'-11 7/8"	8'-11 7/8"
2-8	2'-9"	6'-8"	6'-10 7/8"	7'-11 7/8"	8'-11 7/8"
3-0	3'-1"	6'-8"	6'-10 7/8"	7'-11 7/8"	8'-11 7/8"
3-2	3'-2 1/2"	6'-8"	6'-10 7/8"	7'-11 7/8"	N/A
5-0	5'-0 13/16"	6'-8"	6'-10 7/8"	7'-11 7/8"	8'-11 7/8"
5-4	5'-4 13/16"	6'-8"	6'-10 7/8"	7'-11 7/8"	8'-11 7/8"
6-0	6'-0 13/16"	6'-8"	6'-10 7/8"	7'-11 7/8"	8'-11 7/8"
6-4	6'-3 13/16"	6'-8"	6'-10 7/8"	7'-11 7/8"	N/A
7-6	7'-6 5/8"	6'-8"	6'-10 7/8"	7'-11 7/8"	N/A
8-0	8'-0 5/8"	6'-8"	6'-10 7/8"	7'-11 7/8"	N/A
9-0	9'-0 5/8"	6'-8"	6'-10 7/8"	7'-11 7/8"	N/A

CLAD IN-SWING PATIO DOOR SIDELITE

UNIT CODE	WIDTH	HEIGHT			
1-2	1'-3"	6'-8"	6'-11"	8'-0"	9'-0"
1-4	1'-5"	6'-8"	6'-11"	8'-0"	9'-0"
1-6	1'-7"	6'-8"	6'-11"	8'-0"	9'-0"
2-0	2'-1 1/4"	6'-8"	6'-11"	8'-0"	9'-0"

CLAD IN-SWING PATIO DOOR ELLIPSE



UNIT CODE	BASE	HEIGHT
5-0	5'-1 1/4"	1'-6 1/2"
6-0	6'-1 1/4"	1'-6 1/2"

ADD HEIGHT LISTED TO PATIO DOOR R.O.
ADD 1/2" TO THE HEIGHT FOR FREE STANDING UNIT.

CLAD PATIO DOOR IN-SWING IN-SASH TRANSOM

UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
2611	2'-7"	1'-1 1/2"	6011	6'-0 13/16"	1'-1 1/2"
2614		1'-4 1/2"	6014		1'-4 1/2"
2620		2'-0 1/2"	6020		2'-0 1/2"
2811	2'-9"	1'-1 1/2"	7611	7'-6 5/8"	1'-1 1/2"
2814		1'-4 1/2"	7614		1'-4 1/2"
2820		2'-0 1/2"	7620		2'-0 1/2"
3011	3'-1"	1'-1 1/2"	8011	8'-0 5/8"	1'-1 1/2"
3014		1'-4 1/2"	8014		1'-4 1/2"
3020		2'-0 1/2"	8020		2'-0 1/2"
5011	5'-0 13/16"	1'-1 1/2"	9011	9'-0 5/8"	1'-1 1/2"
5014		1'-4 1/2"	9014		1'-4 1/2"
5020		2'-0 1/2"	9020		2'-0 1/2"
5411	5'-4 13/16"	1'-1 1/2"			
5414		1'-4 1/2"			
5420		2'-0 1/2"			

CLAD IN-SWING PATIO DOOR – HALF ROUND

UNIT CODE	WIDTH	HEIGHT
2-6 HR	2'-7 1/4"	1'-3 3/4"
2-8 HR	2'-9 1/4"	1'-4 3/4"
3-0 HR	3'-1 1/4"	1'-6 3/4"
4-0 HR	4'-1 1/4"	2'-0 1/2"
5-0 HR	5'-1 1/4"	2'-6 1/2"
5-4 HR	5'-5 1/4"	2'-8 1/2"
6-0 HR	6'-1 1/4"	3'-0 1/2"

CLAD OUT-SWING PATIO DOOR

UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
2668	2'-7"	6'-7 1/2"	5468	5'-4 13/16"	6'-7 1/2"
26610		6'-10 3/8"	54610		6'-10 3/8"
2680		7'-11 3/8"	5480		7'-11 3/8"
2690		8'-11 3/8"	5490		8'-11 3/8"
2868	2'-9"	6'-7 1/2"	6068	6'-0 13/16"	6'-7 1/2"
28610		6'-10 3/8"	60610		6'-10 3/8"
2880		7'-11 3/8"	6080		7'-11 3/8"
2890		8'-11 3/8"	6090		8'-11 3/8"
3068	3'-1"	6'-7 1/2"	6468	6'-3 13/16"	6'-7 1/2"
30610		6'-10 3/8"	64610		6'-10 3/8"
3080		7'-11 3/8"	6480		7'-11 3/8"
3090		8'-11 3/8"	7668	7'-6 5/8"	6'-7 1/2"
3268	3'-2 1/2"	6'-7 1/2"	76610		6'-10 3/8"
32610		6'-10 3/8"	7680		7'-11 3/8"
3280		7'-11 3/8"	8068	8'-0 5/8"	6'-7 1/2"
5068	5'-0 13/16"	6'-7 1/2"	80610		6'-10 3/8"
50610		6'-10 3/8"	8080		7'-11 3/8"
5080		7'-11 3/8"	9068	9'-0 5/8"	6'-7 1/2"
5090		8'-11 3/8"	90610		6'-10 3/8"
			9080		7'-11 3/8"

CLAD PATIO DOOR OUT-SWING SIDELITE

UNIT CODE	WIDTH	HEIGHT			
1-2	1'-3"	6'-7 1/2"	6'-10 1/2"	7'-11 1/2"	8'-11 1/2"
1-4	1'-5"	6'-7 1/2"	6'-10 1/2"	7'-11 1/2"	8'-11 1/2"
1-6	1'-7"	6'-7 1/2"	6'-10 1/2"	7'-11 1/2"	8'-11 1/2"
2-0	2'-1 1/4"	6'-7 1/2"	6'-10 1/2"	7'-11 1/2"	8'-11 1/2"

CLAD RADIUS PATIO DOOR – OUT-SWING

UNIT CODE	WIDTH	6'-10"	8'-0"	9'-0"
2-6	2'-7"	6'-10 3/8"	7'-11 3/8"	8'-11 3/8"
2-8	2'-9"	6'-10 3/8"	7'-11 3/8"	8'-11 3/8"
3-0	3'-1"	6'-10 3/8"	7'-11 3/8"	8'-11 3/8"
3-2	3'-2 1/2"	6'-10 3/8"	7'-11 3/8"	N/A
4-0	4'-0 13/16"	6'-10 3/8"	7'-11 3/8"	N/A
5-0	5'-0 13/16"	6'-10 3/8"	7'-11 3/8"	8'-11 3/8"
5-4	5'-4 13/16"	6'-10 3/8"	7'-11 3/8"	8'-11 3/8"
6-0	6'-0 13/16"	6'-10 3/8"	7'-11 3/8"	8'-11 3/8"
6-4	6'-3 13/16"	6'-10 3/8"	7'-11 3/8"	8'-11 3/8"
7-6	7'-6 5/8"	6'-10 3/8"	7'-11 3/8"	N/A
8-0	8'-0 5/8"	6'-10 3/8"	7'-11 3/8"	N/A
9-0	9'-0 5/8"	6'-10 3/8"	7'-11 3/8"	N/A

CLAD RADIUS PATIO DOOR – IN-SWING

UNIT CODE	WIDTH	6'-10"	8'-0"	9'-0"
2-6	2'-7"	6'-10 7/8"	7'-11 7/8"	8'-11 7/8"
2-8	2'-9"	6'-10 7/8"	7'-11 7/8"	8'-11 7/8"
3-0	3'-1"	6'-10 7/8"	7'-11 7/8"	8'-11 7/8"
3-2	3'-2 1/2"	6'-10 7/8"	7'-11 7/8"	N/A
4-0	4'-0 13/16"	6'-10 7/8"	7'-11 7/8"	N/A
5-0	5'-0 13/16"	6'-10 7/8"	7'-11 7/8"	8'-11 7/8"
5-4	5'-4 13/16"	6'-10 7/8"	7'-11 7/8"	8'-11 7/8"
6-0	6'-0 13/16"	6'-10 7/8"	7'-11 7/8"	8'-11 7/8"
6-4	6'-3 13/16"	6'-10 7/8"	7'-11 7/8"	8'-11 7/8"
7-6	7'-6 5/8"	6'-10 7/8"	7'-11 7/8"	N/A
8-0	8'-0 5/8"	6'-10 3/8"	7'-11 7/8"	N/A
9-0	9'-0 5/8"	6'-10 3/8"	7'-11 7/8"	N/A

PRIMED RADIUS PATIO DOOR – IN-SWING

UNIT CODE	WIDTH	6'-10"	8'-0"	9'-0"
2-6	2'-6 15/16"	6'-10 7/8"	7'-11 7/8"	8'-11 7/8"
2-8	2'-8 15/16"	6'-10 7/8"	7'-11 7/8"	8'-11 7/8"
3-0	3'-0 15/16"	6'-10 7/8"	7'-11 7/8"	8'-11 7/8"
3-2	3'-2 7/16"	6'-10 7/8"	7'-11 7/8"	N/A
4-0	4'-0 3/4"	6'-10 7/8"	7'-11 7/8"	N/A
5-0	5'-0 3/4"	6'-10 7/8"	7'-11 7/8"	8'-11 7/8"
5-4	5'-4 3/4"	6'-10 7/8"	7'-11 7/8"	8'-11 7/8"
6-0	6'-0 3/4"	6'-10 7/8"	7'-11 7/8"	8'-11 7/8"
6-4	6'-3 3/4"	6'-10 7/8"	7'-11 7/8"	8'-11 7/8"
7-6	7'-6 9/16"	6'-10 7/8"	7'-11 7/8"	N/A
8-0	8'-0 9/16"	6'-10 3/8"	7'-11 7/8"	N/A
9-0	9'-0 9/16"	6'-10 3/8"	7'-11 7/8"	N/A

BI-FOLD PATIO DOOR – OUTSWING

UNIT CODE	HANDING	WIDTH	HEIGHT
6060	2L-OR & 0L-2R*	6'-2 15/16"	6'-9 3/4"
60610	2L-OR & 0L-2R*	6'-2 15/16"	7'-0 5/8"
6080	2L-OR & 0L-2R*	6'-2 15/16"	8'-1 5/8"
6090	2L-OR & 0L-2R*	6'-2 15/16"	9'-1 5/8"
9068	2L-1R & 1L-2R	9'-3 1/8"	6'-9 3/4"
90610	2L-1R & 1L-2R	9'-3 1/8"	7'-0 5/8"
9080	2L-1R & 1L-2R	9'-3 1/8"	8'-1 5/8"
9090	2L-1R & 1L-2R	9'-3 1/8"	9'-1 5/8"
9068	3L-OR & 0L-3R	9'-3 11/16"	6'-9 3/4"
90610	3L-OR & 0L-3R	9'-3 11/16"	7'-0 5/8"
9080	3L-OR & 0L-3R	9'-3 11/16"	8'-1 5/8"
9090	3L-OR & 0L-3R	9'-3 11/16"	9'-1 5/8"
12068	2L-2R*	12'-3 1/8"	6'-9 3/4"
120610	2L-2R*	12'-3 1/8"	7'-0 5/8"
12080	2L-2R*	12'-3 1/8"	8'-1 5/8"
12090	2L-2R*	12'-3 1/8"	9'-1 5/8"
12068	4L-OR & 0L-4R*	12'-3 11/16"	6'-9 3/4"
120610	4L-OR & 0L-4R*	12'-3 11/16"	7'-0 5/8"
12080	4L-OR & 0L-4R*	12'-3 11/16"	8'-1 5/8"
12090	4L-OR & 0L-4R*	12'-3 11/16"	9'-1 5/8"
12068	3L-1R & 1L-3R**	12'-3 1/8"	6'-9 3/4"
120610	3L-1R & 1L-3R**	12'-3 1/8"	7'-0 5/8"
12080	3L-1R & 1L-3R**	12'-3 1/8"	8'-1 5/8"
12090	3L-1R & 1L-3R**	12'-3 1/8"	9'-1 5/8"
15068	3L-2R & 2L-3R	15'-3 3/16"	6'-9 3/4"
150610	3L-2R & 2L-3R	15'-3 3/16"	7'-0 5/8"
15080	3L-2R & 2L-3R	15'-3 3/16"	8'-1 5/8"
15090	3L-2R & 2L-3R	15'-3 3/16"	9'-1 5/8"
15068	4L-1R & 1L-4R	15'-3 3/16"	6'-9 3/4"
150610	4L-1R & 1L-4R	15'-3 3/16"	7'-0 5/8"
15080	4L-1R & 1L-4R	15'-3 3/16"	8'-1 5/8"
15090	4L-1R & 1L-4R	15'-3 3/16"	9'-1 5/8"
15068	5L-OR & 0L-5R	15'-3 3/4"	6'-9 3/4"
150610	5L-OR & 0L-5R	15'-3 3/4"	7'-0 5/8"
15080	5L-OR & 0L-5R	15'-3 3/4"	8'-1 5/8"
15090	5L-OR & 0L-5R	15'-3 3/4"	9'-1 5/8"

*Cannot be opened from the exterior

**RHA or LHA handing options offered


BI-FOLD PATIO DOOR – OUTSWING (cont'd)

UNIT CODE	HANDING	WIDTH	HEIGHT
18068	6L-OR & 0L-6R*	18'-3 1/8"	6'-9 3/4"
180610	6L-OR & 0L-6R*	18'-3 1/8"	7'-0 5/8"
18080	6L-OR & 0L-6R*	18'-3 1/8"	8'-1 5/8"
18090	6L-OR & 0L-6R*	18'-3 1/8"	9'-1 5/8"
18068	3L-3R**	18'-3 1/4"	6'-9 3/4"
180610	3L-3R**	18'-3 1/4"	7'-0 5/8"
18080	3L-3R**	18'-3 1/4"	8'-1 5/8"
18090	3L-3R**	18'-3 1/4"	9'-1 5/8"
18068	5L-1R & 1L-5R	18'-3 1/8"	6'-9 3/4"
180610	5L-1R & 1L-5R	18'-3 1/8"	7'-0 5/8"
18080	5L-1R & 1L-5R	18'-3 1/8"	8'-1 5/8"
18090	5L-1R & 1L-5R	18'-3 1/8"	9'-1 5/8"
21068	4L-3R & 3L-4R	21'-3 5/16"	6'-9 3/4"
210610	4L-3R & 3L-4R	21'-3 5/16"	7'-0 5/8"
21080	4L-3R & 3L-4R	21'-3 5/16"	8'-1 5/8"
21090	4L-3R & 3L-4R	21'-3 5/16"	9'-1 5/8"
21068	5L-2R & 2L-5R	21'-3 5/16"	6'-9 3/4"
210610	5L-2R & 2L-5R	21'-3 5/16"	7'-0 5/8"
21080	5L-2R & 2L-5R	21'-3 5/16"	8'-1 5/8"
21090	5L-2R & 2L-5R	21'-3 5/16"	9'-1 5/8"
21068	6L-1R & 1L-6R	21'-3 5/16"	6'-9 3/4"
210610	6L-1R & 1L-6R	21'-3 5/16"	7'-0 5/8"
21080	6L-1R & 1L-6R	21'-3 5/16"	8'-1 5/8"
21090	6L-1R & 1L-6R	21'-3 5/16"	9'-1 5/8"
21068	7L-0R & 0L-7R	21'-3 7/8"	6'-9 3/4"
210610	7L-0R & 0L-7R	21'-3 7/8"	7'-0 5/8"
21080	7L-0R & 0L-7R	21'-3 7/8"	8'-1 5/8"
21090	7L-0R & 0L-7R	21'-3 7/8"	9'-1 5/8"
24068	4L-4R*	24'-3 5/16"	6'-9 3/4"
240610	4L-4R*	24'-3 5/16"	7'-0 5/8"
24080	4L-4R*	24'-3 5/16"	8'-1 5/8"
24090	4L-4R*	24'-3 5/16"	9'-1 5/8"
24068	7L-1R & 1L-7R	24'-3 5/16"	6'-9 3/4"
240610	7L-1R & 1L-7R	24'-3 5/16"	7'-0 5/8"
24080	7L-1R & 1L-7R	24'-3 5/16"	8'-1 5/8"
24090	7L-1R & 1L-7R	24'-3 5/16"	9'-1 5/8"
24068	5L-3R & 3L-5R**	24'-3 5/16"	6'-9 3/4"
240610	5L-3R & 3L-5R**	24'-3 5/16"	7'-0 5/8"
24080	5L-3R & 3L-5R**	24'-3 5/16"	8'-1 5/8"
24090	5L-3R & 3L-5R**	24'-3 5/16"	9'-1 5/8"
24068	8L-0R & 0L-8R*	24'-3 1/4"	6'-9 3/4"
240610	8L-0R & 0L-8R*	24'-3 1/4"	7'-0 5/8"
24080	8L-0R & 0L-8R*	24'-3 1/4"	8'-1 5/8"
24090	8L-0R & 0L-8R*	24'-3 1/4"	9'-1 5/8"

*Cannot be opened from the exterior

**RHA or LHA handing options offered

PRIMED & CLAD HALF ROUND – CASEMENT



UNIT CODE	BASE	HEIGHT
HRC20	2'-0 3/4"	1'-0 1/2"
HRC24	2'-4 3/4"	1'-2 1/2"
HRC26	2'-6 3/4"	1'-3 1/2"
HRC32	3'-0 3/4"	1'-6 1/2"
HRC14-2	3'-0 3/4"	1'-6 1/2"
HRC16-2	3'-4 3/4"	1'-8 1/2"
HRC38-1	3'-6 3/4"	1'-9 1/2"
HRC20-2	4'-0 3/4"	2'-0 1/2"
HRC14-3	4'-6 3/4"	2'-3 1/2"
HRC16-3	5'-0 3/4"	2'-6 1/2"
HRC24-2	4'-8 3/4"	2'-4 1/2"
HRC26-2	5'-0 3/4"	2'-6 1/2"
HRC32-2	6'-0 3/4"	3'-0 1/2"
HRC20-3	6'-0 3/4"	3'-0 1/2"
HRC24-3	7'-0 3/4"	3'-6 1/2"
HRC26-3	7'-6 3/4"	3'-9 1/2"
HRC32-3	9'-0 3/4"	4'-6 1/2"
HRC44-1	4'-0 3/4"	2'-0 1/2"
HRC50-1	4'-6 3/4"	2'-3 1/2"
HRC56-1	5'-0 3/4"	2'-6 1/2"
HRC68-1	6'-0 3/4"	3'-0 1/2"

PRIMED & CLAD QUARTER ROUND – CASEMENT

UNIT CODE	BASE	HEIGHT
QRC14-1	1'-6 3/4"	1'-6 1/2"
QRC16-1	1'-8 3/4"	1'-8 1/2"
QRC20-1	2'-0 3/4"	2'-0 1/2"
QRC24-1	2'-4 3/4"	2'-4 1/2"
QRC26-1	2'-6 3/4"	2'-6 1/2"
QRC32-1	3'-0 3/4"	3'-0 1/2"

PRIMED & CLAD HALF ROUND – DOUBLE HUNG

UNIT CODE	BASE	HEIGHT
HRD20	2'-2 1/8"	1'-1 3/16"
HRD24	2'-6 1/8"	1'-3 3/16"
HRD28	2'-10 1/8"	1'-5 3/16"
HRD32	3'-2 1/8"	1'-7 3/16"
HRD36	3'-6 1/8"	1'-9 3/16"
HRD40	3'-10 1/8"	1'-11 3/16"
HRD16-2	3'-7 1/2"	1'-9 7/8"
HRD20-2	4'-3 1/2"	2'-1 7/8"
HRD24-2	4'-11 1/2"	2'-5 7/8"
HRD16-3	5'-4 7/8"	2'-8 9/16"
HRD28-2	5'-7 1/2"	2'-9 7/8"
HRD32-2	6'-3 1/2"	3'-1 7/8"
HRD20-3	6'-4 7/8"	3'-2 9/16"
HRD36-2	6'-11 1/2"	3'-5 7/8"
HRD40-2	7'-7 1/2"	3'-9 7/8"
HRD44	4'-2 1/8"	2'-1 3/16"
HRD56	5'-2 1/8"	2'-7 3/16"
HRD68	6'-2 1/8"	3'-1 3/16"
HRD24-3	7'-4 7/8"	3'-8 9/16"

PRIMED, CLAD & LEGEND QUARTER ROUND –
DOUBLE HUNG

UNIT CODE	BASE	HEIGHT
QRD16-1	1'-10 1/8"	1'-9 7/8"
QRD20-1	2'-2 1/8"	2'-1 7/8"
QRD24-1	2'-6 1/8"	2'-5 7/8"
QRD28-1	2'-10 1/8"	2'-9 7/8"
QRD32-1	3'-2 1/8"	3'-1 7/8"
QRD036-1	3'-6 1/8"	3'-5 7/8"

LEGEND HALF ROUND – DOUBLE HUNG


UNIT CODE	BASE	HEIGHT
LHRD20	2'-2 1/8"	1'-1 3/16"
LHRD24	2'-6 1/8"	1'-3 3/16"
LHRD28	2'-10 1/8"	1'-5 3/16"
LHRD32	3'-2 1/8"	1'-7 3/16"
LHRD36	3'-6 1/8"	1'-9 3/16"
LHRD40	3'-10 1/8"	1'-11 3/16"
LHRD16-2	3'-7 1/2"	1'-9 7/8"
LHRD20-2	4'-3 1/2"	2'-1 7/8"
LHRD24-2	4'-11 1/2"	2'-5 7/8"
LHRD16-3	5'-4 7/8"	2'-8 9/16"
LHRD28-2	5'-7 1/2"	2'-9 7/8"
LHRD32-2	6'-3 1/2"	3'-1 7/8"

NOTE: R.O. LISTED ARE FOR FREE STANDING UNITS

LEGEND HALF ROUND – DOUBLE HUNG

UNIT CODE	BASE	HEIGHT
LHRD20-3	6'-4 7/8"	3'-2 9/16"
LHRD36-2	6'-11 1/2"	3'-5 7/8"
LHRD40-2	7'-7 1/2"	3'-9 7/8"
LHRD44	4'-2 1/8"	2'-1 3/16"
LHRD56	5'-2 1/8"	2'-7 3/16"
LHRD68	6'-2 1/8"	3'-1 3/16"
LHRD24-3	7'-4 7/8"	3'-8 9/16"

FULL ROUND – LEGEND AND PINNACLE




UNIT CODE	WIDTH	HEIGHT
FR24	2'-0 1/2"	2'-0 1/2"
FR36	3'-0 1/2"	3'-0 1/2"

OVAL – LEGEND AND PINNACLE



UNIT CODE	WIDTH	HEIGHT
OVL2436	2'-0 1/2"	3'-0 1/2"
OVL3648	3'-0 1/2"	4'-0 1/2"

OCTAGON – LEGEND AND PINNACLE,
PRIMED & CLAD



UNIT CODE	WIDTH	HEIGHT
OCT24	2'-0 3/4"	2'-0 1/2"
OCT36	3'-0 3/4"	3'-0 1/2"
OCT48	4'-0 3/4"	4'-0 1/2"
OCT2436	2'-0 3/4"	3'-0 1/2"


PINNACLE PRIMED & CLAD
RADIUS SEG-TOP PICTURE

UNIT CODE	BASE	HEIGHT	UNIT CODE	BASE	HEIGHT
3010	3'-0 3/4"	1'-5 5/16"	6010	6'-0 3/4"	1'-10 1/8"
3016		1'-11 5/16"	6016		2'-4 1/8"
3020		2'-5 5/16"	6020		2'-10 1/8"
3030		3'-5 5/16"	6060		3'-10 1/8"
3040		4'-5 5/16"	6040		4'-10 1/8"
3050		5'-5 5/16"	6050		5'-10 1/8"
3060		6'-5 5/16"	6060		6'-10 1/8"
4010	4'-0 3/4"	1'-6 15/16"	7610	7'-6 3/4"	2'-0 1/2"
4016		2'-0 15/16"	7616		2'-6 1/2"
4020		2'-6 15/16"	7620		3'-0 1/2"
4040		3'-6 15/16"	7676		4'-0 1/2"
4040		4'-6 15/16"	7640		5'-0 1/2"
4050		5'-6 15/16"	7650		6'-0 1/2"
4060		6'-6 15/16"	7660		7'-0 1/2"
5010	5'-0 3/4"	1'-8 1/2"	8010	8'-0 3/4"	2'-1 3/8"
5016		2'-2 1/2"	8016		2'-7 3/8"
5020		2'-8 1/2"	8020		3'-1 3/8"
5050		3'-8 1/2"	8080		4'-1 3/8"
5040		4'-8 1/2"	8040		5'-1 3/8"
5050		5'-8 1/2"	8050		6'-1 3/8"
5060		6'-8 1/2"	8060		7'-1 3/8"

PINNACLE PRIMED & CLAD
RADIUS ROUND TOP PICTURE

UNIT CODE	BASE	HEIGHT	UNIT CODE	BASE	HEIGHT
2020	2'-0 3/4"	3'-0 1/2"	5020	5'-0 3/4"	4'-6 1/2"
2030		4'-0 1/2"	5030		5'-6 1/2"
2040		5'-0 1/2"	5040		6'-6 1/2"
2050		6'-0 1/2"	5050		7'-6 1/2"
2060		7'-0 1/2"	5060		8'-6 1/2"
2620	2'-6 3/4"	3'-3 1/2"	6020	6'-0 3/4"	5'-0 1/2"
2630		4'-3 1/2"	6030		6'-0 1/2"
2640		5'-3 1/2"	6040		7'-0 1/2"
2650		6'-3 1/2"	6050		8'-0 1/2"
2660		7'-3 1/2"	6060		9'-0 1/2"
3020	3'-0 3/4"	3'-6 1/2"	7620	7'-6 3/4"	5'-9 1/2"
3030		4'-6 1/2"	7630		6'-9 1/2"
3040		5'-6 1/2"	8020	8'-0 3/4"	6'-0 1/2"
3050		6'-6 1/2"	8030		7'-0 1/2"
3060		7'-6 1/2"			
4020	4'-0 3/4"	4'-0 1/2"			
4030		5'-0 1/2"			
4040		6'-0 1/2"			
4050		7'-0 1/2"			
4060		8'-0 1/2"			

CLAD PATIO DOOR OUT-SWING ELLIPSE



UNIT CODE	WIDTH	HEIGHT
5-0	5'-1 1/4"	1'-6 1/2"
6-0	6'-1 1/4"	1'-6 1/2"

ADD HEIGHT LISTED TO PATIO DOOR R.O.
ADD 1-1/4" TO HEIGHT FOR FREE STANDING UNIT.

CLAD PATIO DOOR OUT-SWING IN-SASH TRANSOMS

UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
2611	2'-7"	1'-1 1/2"	6411	6'-3 13/16"	1'-1 1/2"
2614		1'-4 1/2"	6414		1'-4 1/2"
2620		2'-0 1/2"	6420		2'-0 1/2"
2811	2'-9"	1'-1 1/2"	7611	7'-6 5/8"	1'-1 1/2"
2814		1'-4 1/2"	7614		1'-4 1/2"
2820		2'-0 1/2"	7620		2'-0 1/2"
3011	3'-1"	1'-1 1/2"	8011	8'-0 5/8"	1'-1 1/2"
3014		1'-4 1/2"	8014		1'-4 1/2"
3020		2'-0 1/2"	8020		2'-0 1/2"
3211	3'-2 1/2"	1'-1 1/2"	9011	9'-0 5/8"	1'-1 1/2"
3214		1'-4 1/2"	9014		1'-4 1/2"
3220		2'-0 1/2"	9020		2'-0 1/2"
5011	5'-0 13/16"	1'-1 1/2"			
5014		1'-4 1/2"			
5020		2'-0 1/2"			
5411	5'-4 13/16"	1'-1 1/2"			
5414		1'-4 1/2"			
5420		2'-0 1/2"			
6011	6'-0 13/16"	1'-1 1/2"			
6014		1'-4 1/2"			
6020		2'-0 1/2"			

CLAD PATIO DOOR OUT-SWING – HALF ROUND

UNIT CODE	WIDTH	HEIGHT
2-6 HR	2'-7 1/4"	1'-3 3/4"
2-8 HR	2'-9 1/4"	1'-4 3/4"
3-0 HR	3'-1 1/4"	1'-6 3/4"
4-0 HR	4'-1 1/4"	2'-0 1/2"
5-0 HR	5'-1 1/4"	2'-6 1/2"
5-4 HR	5'-5 1/4"	2'-8 1/2"
6-0 HR	6'-1 1/4"	3'-0 1/2"



SELECT CLAD CASEMENT – 1 & 2 WIDE UNITS



UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
1824-1	1'-6 3/4"	2'-0 1/2"	1824-2	3'-0 3/4"	2'-0 1/2"
1830-1		2'-6 1/2"	1830-2		2'-6 1/2"
1836-1		3'-0 1/2"	1836-2		3'-0 1/2"
1842-1		3'-6 1/2"	1842-2		3'-6 1/2"
1848-1		4'-0 1/2"	1848-2		4'-0 1/2"
1854-1		4'-6 1/2"	1854-2		4'-6 1/2"
1860-1		5'-0 1/2"	1860-2		5'-0 1/2"
1866-1		5'-6 1/2"	1866-2		5'-6 1/2"
1872-1		6'-0 1/2"	1872-2		6'-0 1/2"
1878-1		6'-6 1/2"	1878-2		6'-6 1/2"
2024-1	1'-8 3/4"	2'-0 1/2"	2024-2	3'-4 3/4"	2'-0 1/2"
2030-1		2'-6 1/2"	2030-2		2'-6 1/2"
2036-1		3'-0 1/2"	2036-2		3'-0 1/2"
2042-1		3'-6 1/2"	2042-2		3'-6 1/2"
2048-1		4'-0 1/2"	2048-2		4'-0 1/2"
2054-1		4'-6 1/2"	2054-2		4'-6 1/2"
2060-1		5'-0 1/2"	2060-2		5'-0 1/2"
2066-1		5'-6 1/2"	2066-2		5'-6 1/2"
2072-1		6'-0 1/2"	2072-2		6'-0 1/2"
2078-1		6'-6 1/2"	2078-2		6'-6 1/2"
2424-1	2'-0 3/4"	2'-0 1/2"	2424-2	4'-0 3/4"	2'-0 1/2"
2430-1		2'-6 1/2"	2430-2		2'-6 1/2"
2436-1		3'-0 1/2"	2436-2		3'-0 1/2"
2442-1		3'-6 1/2"	2442-2		3'-6 1/2"
2448-1		4'-0 1/2"	2448-2		4'-0 1/2"
2454-1		4'-6 1/2"	2454-2		4'-6 1/2"
2460-1		5'-0 1/2"	2460-2		5'-0 1/2"
2466-1		5'-6 1/2"	2466-2		5'-6 1/2"
2472-1		6'-0 1/2"	2472-2		6'-0 1/2"
2478-1		6'-6 1/2"	2478-2		6'-6 1/2"
2824-1	2'-4 3/4"	2'-0 1/2"	2824-2	4'-8 3/4"	2'-0 1/2"
2830-1		2'-6 1/2"	2830-2		2'-6 1/2"
2836-1		3'-0 1/2"	2836-2		3'-0 1/2"
2842-1		3'-6 1/2"	2842-2		3'-6 1/2"
2848-1		4'-0 1/2"	2848-2		4'-0 1/2"
2854-1		4'-6 1/2"	2854-2		4'-6 1/2"
2860-1		5'-0 1/2"	2860-2		5'-0 1/2"
2866-1		5'-6 1/2"	2866-2		5'-6 1/2"
2872-1		6'-0 1/2"	2872-2		6'-0 1/2"
2878-1		6'-6 1/2"	2878-2		6'-6 1/2"
3024-1	2'-6 3/4"	2'-0 1/2"	3024-2	5'-0 3/4"	2'-0 1/2"
3030-1		2'-6 1/2"	3030-2		2'-6 1/2"
3036-1		3'-0 1/2"	3036-2		3'-0 1/2"
3042-1		3'-6 1/2"	3042-2		3'-6 1/2"
3048-1		4'-0 1/2"	3048-2		4'-0 1/2"
3054-1		4'-6 1/2"	3054-2		4'-6 1/2"
3060-1		5'-0 1/2"	3060-2		5'-0 1/2"
3066-1		5'-6 1/2"	3066-2		5'-6 1/2"
3072-1		6'-0 1/2"	3072-2		6'-0 1/2"
3078-1		6'-6 1/2"	3078-2		6'-6 1/2"
3224-1	2'-8 3/4"	2'-0 1/2"	3224-2	5'-4 3/4"	2'-0 1/2"
3230-1		2'-6 1/2"	3230-2		2'-6 1/2"
3236-1		3'-0 1/2"	3236-2		3'-0 1/2"
3242-1		3'-6 1/2"	3242-2		3'-6 1/2"
3248-1		4'-0 1/2"	3248-2		4'-0 1/2"
3254-1		4'-6 1/2"	3254-2		4'-6 1/2"
3260-1		5'-0 1/2"	3260-2		5'-0 1/2"
3266-1		5'-6 1/2"	3266-2		5'-6 1/2"
3272-1		6'-0 1/2"	3272-2		6'-0 1/2"
3278-1		6'-6 1/2"	3278-2		6'-6 1/2"
3624-1	3'-0 3/4"	2'-0 1/2"	3624-2	6'-0 3/4"	2'-0 1/2"
3630-1		2'-6 1/2"	3630-2		2'-6 1/2"
3636-1		3'-0 1/2"	3636-2		3'-0 1/2"
3642-1		3'-6 1/2"	3642-2		3'-6 1/2"
3648-1		4'-0 1/2"	3648-2		4'-0 1/2"
3654-1		4'-6 1/2"	3654-2		4'-6 1/2"
3660-1		5'-0 1/2"	3660-2		5'-0 1/2"
3666-1		5'-6 1/2"	3666-2		5'-6 1/2"
3672-1		6'-0 1/2"	3672-2		6'-0 1/2"
3678-1		6'-6 1/2"	3678-2		6'-6 1/2"

Note: R.O. dimension is determined by frame size for Pinnacle Select.


SELECT CLAD CASEMENT – 3 & 4 WIDE UNITS



UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
1824-3	4'-6 3/4"	2'-0 1/2"	1824-4	6'-0 3/4"	2'-0 1/2"
1830-3		2'-6 1/2"	1830-4		2'-6 1/2"
1836-3		3'-0 1/2"	1836-4		3'-0 1/2"
1842-3		3'-6 1/2"	1842-4		3'-6 1/2"
1848-3		4'-0 1/2"	1848-4		4'-0 1/2"
1854-3		4'-6 1/2"	1854-4		4'-6 1/2"
1860-3		5'-0 1/2"	1860-4		5'-0 1/2"
1866-3		5'-6 1/2"	1866-4		5'-6 1/2"
1872-3		6'-0 1/2"	1872-4		6'-0 1/2"
1878-3		6'-6 1/2"	1878-4		6'-6 1/2"
2024-3	5'-0 3/4"	2'-0 1/2"	2024-4	6'-8 3/4"	2'-0 1/2"
2030-3		2'-6 1/2"	2030-4		2'-6 1/2"
2036-3		3'-0 1/2"	2036-4		3'-0 1/2"
2042-3		3'-6 1/2"	2042-4		3'-6 1/2"
2048-3		4'-0 1/2"	2048-4		4'-0 1/2"
2054-3		4'-6 1/2"	2054-4		4'-6 1/2"
2060-3		5'-0 1/2"	2060-4		5'-0 1/2"
2066-3		5'-6 1/2"	2066-4		5'-6 1/2"
2072-3		6'-0 1/2"	2072-4		6'-0 1/2"
2078-3		6'-6 1/2"	2078-4		6'-6 1/2"
2424-3	6'-0 3/4"	2'-0 1/2"	2424-4	8'-0 3/4"	2'-0 1/2"
2430-3		2'-6 1/2"	2430-4		2'-6 1/2"
2436-3		3'-0 1/2"	2436-4		3'-0 1/2"
2442-3		3'-6 1/2"	2442-4		3'-6 1/2"
2448-3		4'-0 1/2"	2448-4		4'-0 1/2"
2454-3		4'-6 1/2"	2454-4		4'-6 1/2"
2460-3		5'-0 1/2"	2460-4		5'-0 1/2"
2466-3		5'-6 1/2"	2466-4		5'-6 1/2"
2472-3		6'-0 1/2"	2472-4		6'-0 1/2"
2478-3		6'-6 1/2"	2478-4		6'-6 1/2"
2824-3	7'-0 3/4"	2'-0 1/2"	2824-4	9'-4 3/4"	2'-0 1/2"
2830-3		2'-6 1/2"	2830-4		2'-6 1/2"
2836-3		3'-0 1/2"	2836-4		3'-0 1/2"
2842-3		3'-6 1/2"	2842-4		3'-6 1/2"
2848-3		4'-0 1/2"	2848-4		4'-0 1/2"
2854-3		4'-6 1/2"	2854-4		4'-6 1/2"
2860-3		5'-0 1/2"	2860-4		5'-0 1/2"
2866-3		5'-6 1/2"	2866-4		5'-6 1/2"
2872-3		6'-0 1/2"	2872-4		6'-0 1/2"
2878-3		6'-6 1/2"	2878-4		6'-6 1/2"
3024-3	7'-6 3/4"	2'-0 1/2"	3024-4	10'-0 3/4"	2'-0 1/2"
3030-3		2'-6 1/2"	3030-4		2'-6 1/2"
3036-3		3'-0 1/2"	3036-4		3'-0 1/2"
3042-3		3'-6 1/2"	3042-4		3'-6 1/2"
3048-3		4'-0 1/2"	3048-4		4'-0 1/2"
3054-3		4'-6 1/2"	3054-4		4'-6 1/2"
3060-3		5'-0 1/2"	3060-4		5'-0 1/2"
3066-3		5'-6 1/2"	3066-4		5'-6 1/2"
3072-3		6'-0 1/2"	3072-4		6'-0 1/2"
3078-3		6'-6 1/2"	3078-4		6'-6 1/2"
3224-3	8'-0 3/4"	2'-0 1/2"	3224-4	10'-8 3/4"	2'-0 1/2"
3230-3		2'-6 1/2"	3230-4		2'-6 1/2"
3236-3		3'-0 1/2"	3236-4		3'-0 1/2"
3242-3		3'-6 1/2"	3242-4		3'-6 1/2"
3248-3		4'-0 1/2"	3248-4		4'-0 1/2"
3254-3		4'-6 1/2"	3254-4		4'-6 1/2"
3260-3		5'-0 1/2"	3260-4		5'-0 1/2"
3266-3		5'-6 1/2"	3266-4		5'-6 1/2"
3272-3		6'-0 1/2"	3272-4		6'-0 1/2"
3278-3		6'-6 1/2"	3278-4		6'-6 1/2"
3624-3	9'-0 3/4"	2'-0 1/2"	3624-4	12'-0 3/4"	2'-0 1/2"
3630-3		2'-6 1/2"	3630-4		2'-6 1/2"
3636-3		3'-0 1/2"	3636-4		3'-0 1/2"
3642-3		3'-6 1/2"	3642-4		3'-6 1/2"
3648-3		4'-0 1/2"	3648-4		4'-0 1/2"
3654-3		4'-6 1/2"	3654-4		4'-6 1/2"
3660-3		5'-0 1/2"	3660-4		5'-0 1/2"
3666-3		5'-6 1/2"	3666-4		5'-6 1/2"
3672-3		6'-0 1/2"	3672-4		6'-0 1/2"
3678-3		6'-6 1/2"	3678-4		6'-6 1/2"

Note: R.O. dimension is determined by frame size for Pinnacle Select.

SELECT CLAD CASEMENT – PICTURE




UNIT CODE	WIDTH	HEIGHT
4236	3'-6 3/4"	3'-0 1/2"
4242		3'-6 1/2"
4248		4'-0 1/2"
4254		4'-6 1/2"
4260		5'-0 1/2"
4266		5'-6 1/2"
4272		6'-0 1/2"
4278		6'-6 1/2"
4836	4'-0 3/4"	3'-0 1/2"
4842		3'-6 1/2"
4848		4'-0 1/2"
4854		4'-6 1/2"
4860		5'-0 1/2"
4866		5'-6 1/2"
4872		6'-0 1/2"
4878		6'-6 1/2"
5436	4'-6 3/4"	3'-0 1/2"
5442		3'-6 1/2"
5448		4'-0 1/2"
5454		4'-6 1/2"
5460		5'-0 1/2"
5466		5'-6 1/2"
5472		6'-0 1/2"
5478		6'-6 1/2"
6036	5'-0 3/4"	3'-0 1/2"
6042		3'-6 1/2"
6048		4'-0 1/2"
6054		4'-6 1/2"
6060		5'-0 1/2"
6066		5'-6 1/2"
6072		6'-0 1/2"
6078		6'-6 1/2"
7236	6'-0 3/4"	3'-0 1/2"
7242		3'-6 1/2"
7248		4'-0 1/2"
7254		4'-6 1/2"
7260		5'-0 1/2"
7266		5'-6 1/2"
7272		6'-0 1/2"
7278		6'-6 1/2"

PICTURES WITH FLANKERS

ADD TOGETHER FRAME WIDTHS FOR INDIVIDUAL UNITS + 3/4". HEIGHTS REMAIN AS SHOWN.

Note: R.O. dimension is determined by frame size for Pinnacle Select.

SELECT CLAD AWNING – PICTURE



UNIT CODE	WIDTH	HEIGHT	UNIT CODE	WIDTH	HEIGHT
2418	2'-0 3/4"	1'-6 1/2"	4218	3'-6 3/4"	1'-6 1/2"
2420		1'-8 1/2"	4220		1'-8 1/2"
2424		2'-0 1/2"	4224		2'-0 1/2"
2428		2'-4 1/2"	4228		2'-4 1/2"
2430		2'-6 1/2"	4230		2'-6 1/2"
2436		3'-0 1/2"	4236		3'-0 1/2"
2442		3'-6 1/2"	4242		3'-6 1/2"
2448		4'-0 1/2"	4248		4'-0 1/2"
2454		4'-6 1/2"	4254		4'-6 1/2"
2460		5'-0 1/2"	4260		5'-0 1/2"
2818	2'-4 3/4"	1'-6 1/2"	4818	4'-0 3/4"	1'-6 1/2"
2820		1'-8 1/2"	4820		1'-8 1/2"
2824		2'-0 1/2"	4824		2'-0 1/2"
2828		2'-4 1/2"	4828		2'-4 1/2"
2830		2'-6 1/2"	4830		2'-6 1/2"
2836		3'-0 1/2"	4836		3'-0 1/2"
2842		3'-6 1/2"	4842		3'-6 1/2"
2848		4'-0 1/2"	4848		4'-0 1/2"
2854		4'-6 1/2"	4854		4'-6 1/2"
2860		5'-0 1/2"	4860		5'-0 1/2"
3018	2'-6 3/4"	1'-6 1/2"	5418	4'-6 3/4"	1'-6 1/2"
3020		1'-8 1/2"	5420		1'-8 1/2"
3024		2'-0 1/2"	5424		2'-0 1/2"
3028		2'-4 1/2"	5428		2'-4 1/2"
3030		2'-6 1/2"	5430		2'-6 1/2"
3036		3'-0 1/2"	5436		3'-0 1/2"
3042		3'-6 1/2"	5442		3'-6 1/2"
3048		4'-0 1/2"	5448		4'-0 1/2"
3054		4'-6 1/2"	5454		4'-6 1/2"
3060		5'-0 1/2"	5460		5'-0 1/2"
3218	2'-8 3/4"	1'-6 1/2"	6018	5'-0 3/4"	1'-6 1/2"
3220		1'-8 1/2"	6020		1'-8 1/2"
3224		2'-0 1/2"	6024		2'-0 1/2"
3228		2'-4 1/2"	6028		2'-4 1/2"
3230		2'-6 1/2"	6030		2'-6 1/2"
3236		3'-0 1/2"	6036		3'-0 1/2"
3242		3'-6 1/2"	6042		3'-6 1/2"
3248		4'-0 1/2"	6048		4'-0 1/2"
3254		4'-6 1/2"	6054		4'-6 1/2"
3260		5'-0 1/2"	6060		5'-0 1/2"
3618	3'-0 3/4"	1'-6 1/2"			
3620		1'-8 1/2"			
3624		2'-0 1/2"			
3628		2'-4 1/2"			
3630		2'-6 1/2"			
3636		3'-0 1/2"			
3642		3'-6 1/2"			
3648		4'-0 1/2"			
3654		4'-6 1/2"			
3660		5'-0 1/2"			

PICTURES WITH FLANKERS

ADD TOGETHER FRAME WIDTHS FOR INDIVIDUAL UNITS + 3/4". HEIGHTS REMAIN AS SHOWN.

Note: R.O. dimension is determined by frame size for Pinnacle Select.

